


## A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=750mm - $\alpha=90^\circ$ - 4000K - Brushed Copper



IP20 Dimmerable:


### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

### TECHNICAL DRAWINGS



### FEATURES

<b>Article Code:</b>	AQ73518	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Brushed Copper	<b>Emission:</b>	Artemide Collection Direct
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling		
<b>Environment:</b>	Indoor		

### DIMENSIONS

<b>Width:</b>	cm 2.7
<b>Height:</b>	cm 5.4

### INCLUDED SOURCES

<b>Category:</b>	LED	<b>Color temperature (K):</b>	2700K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	25W	<b>Service Life:</b>	L70 (6K) 50000h
<b>Type:</b>	0		

### LUMINAIRE

<b>Watt:</b>	25W	<b>Delivered lumens output (lm):</b>	1678lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	80

### Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ15404




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ16101



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ16104




A.24 - Flexible Cover L=10m - Black  
AQ92004



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17104



A.24 - Suspension Accessories - End Cap (2x) - Brushed Copper  
AQ45118



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17601




150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17604




A.24 - Louver for Curved Elements - R=750mm - White (Order 1pc for 45°, 2 pcs for 90°)  
AQ91101



150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White  
AQ17501



A.24 - Louver for Curved Elements - R=750mm - Black




150W Ceiling power supply - kit 321x91x111H -



(Order 1pc for 45°,  
2 pcs for 90°)  
AQ91104



230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504




A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



A.24 - Insulating  
Spacer (1x) -  
Brushed Copper  
AQ45318



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed copper  
AQ49418



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101