
A.24 - Suspension Sharping Emission - Curved Elements - 62° - R=561mm - α =60° - 4000K - Black



TECHNICAL DRAWINGS



DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

FEATURES			
Article Code: Colour:	AQ70604 Black	Series:	Indoor, 2018 Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		
DIMENSIONS			
Width: Height:	cm 2.7 cm 5.4		
INCLUDED SOURCES			
Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Туре:	0		
LUMINAIRE			
Watt:	12W	Delivered lumens output (lm)	: 777lm
		ССТ:	4000K
		CRI:	80
Notes			

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ70604

ACCESSORIES



A.24 - Suspension Accessories -Transition Cap -Black AQ49404



A.24 - Suspension Accessories -**Ceiling Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



Cover L=10m -Black AQ92004



A.24 - Suspension Accessories - End Cap (2x) - Black AQ45104



Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104 150W Ceiling power supply kit -351x61x111H 230VAC-48VDC



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Insulating Spacer (1x) - Black AQ45304



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601 150W Ceiling power supply - kit 321x91x111H 230VAC-48VDC

March 2019

IP20 -Undimmable (for dimmable version



150W Bare power supply + plug 230VAC-48VDC to be combined with "DALI-Selv interface") AQ18100

Undimmable -Black AQ17604

DALI - White AQ17501



A.24 - Louver for Courved Elements - White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91101



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Flexible Cover L=2m -White AQ92101



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



A.24 - Flexible Cover L=2m -Black AQ92104



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



DALI to DALI-Selv Interface

103x67x21H

AQ18200

240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101