PRODUCT DATA SHEET PRODUCT CODE: AQ71901

A.24 - Suspension Sharping Emission - Curved Elements - 62° - R=561mm - α =90° - 2700K - White




DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ71901	Series:	Indoor, 2018
Colour:	White		Artemide Collection
Installation:	Recessed, Wall,	Emission:	Direct
	Suspension, Ceiling		
Environment:	Indoor		

DIMENSIONS

 Width:
 cm 2.7

 Height:
 cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Туре:	0		

LUMINAIRE

Watt:	12W	Delivered lumens output (lm): ///lm	
		CCT:	2700K
		CRI:	90

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



ACCESSORIES



A.24 - Suspension Accessories -Transition Cap -White AQ49401



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AO16104



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Insulating Spacer (1x) - White AQ45301



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



A.24 - Suspension Accessories - End Cap (2x) - White AQ45101



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104 150W Ceiling power supply kit -351x61x111H -230VAC-48VDC

IP20 -



150W Ceiling
power supply kit 351x61x111H 230VAC-48VDC
IP20 Undimmable White
AQ17601
150W Ceiling
power supply kit
321x91x111H 230VAC-48VDC

Undimmable -Black AQ17604





A.24 - Louver for Courved Elements - White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91101



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Flexible Cover L=2m -White AQ92101



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



A.24 - Flexible Cover L=2m -Black AQ92104



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101