

## A.24 - Suspension Sharping Emission - Curved Elements - 62° - R=561mm - $\alpha=90^\circ$ - 3000K - White



IP20   Dimmerable: 


### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

### TECHNICAL DRAWINGS



### FEATURES

Article Code:	AQ71401	Series:	Indoor, 2018
Colour:	White		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

### DIMENSIONS

Width:	cm 2,7
Height:	cm 5,4

### INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Type:	0		

### LUMINAIRE

Watt:	25W	Delivered lumens output (lm):	777lm
		CCT:	3000K
		CRI:	80

### Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**


A.24 - Suspension  
Accessories -  
Transition Cap -  
White  
AQ49401



Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ15404



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ16101



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ16104




A.24 - Flexible  
Cover L=10m -  
Black  
AQ92004



A.24 - Insulating  
Spacer (1x) - White  
AQ45301




A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000




A.24 - Suspension  
Accessories - End  
Cap (2x) - White  
AQ45101



Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ15401



240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000



150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17104  
150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC



IP20 -



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17601  
150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC



IP20 - Dimmable

Undimmable -  
Black  
AQ17604

DALI - White  
AQ17501




A.24 - Louver for  
Curved Elements  
- White (Order 1pc  
for R=561 60°/90°  
R=750 45°, 2 pcs  
for R=750 90°)  
AQ91101



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Louver for  
Curved Elements  
- Black (Order 1pc  
for R=561 60°/90°  
R=750 45°, 2 pcs  
for R=750 90°)  
AQ91104




A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



A.24 - Flexible  
Cover L=2m -  
White  
AQ92101



A.24 - Flexible  
Cover L=2m -  
Black  
AQ92104



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101