
# A.24 - Suspension Sharping Emission - Curved Elements - 62° - R=561mm - $\alpha$ =90° - 4000K - Brushed Copper



## **TECHNICAL DRAWINGS**



## DESIGN BY

Carlotta de Bevilacqua

#### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

FEATURES			
Article Code: Colour:	AQ71618 Brushed Copper	Series:	Indoor, 2018 Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		
DIMENSIONS			
Width: Height:	cm 2.7 cm 5.4		
INCLUDED SOURCES			
Category: Number: Watt: Type:	LED 1 12W 0	Color temperature (K): Color Tolerance: Service Life:	2700K MacAdam 2SDCM L70 (6K) 50000h
LUMINAIRE			
Watt:	25W	Delivered lumens output (lm) CCT: CRI:	: 777lm 4000K 80
Notes			

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



## PRODUCT CODE: AQ71618

#### ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100

150W Ceiling

351x61x111H -

230VAC-48VDC

Undimmable -

IP20 -

Black

AQ17604

power supply kit -



A.24 - Suspension Accessories -**Ceiling Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Suspension Accessories -**Recessed Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104



A.24 - Suspension Accessories - End Cap (2x) - Brushed Copper AQ45118



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501 A.24 - Louver for **Courved Elements** White (Order 1pc for R=561 60°/90°

March 2019

R=750 45°, 2 pcs

power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601



We reserve the right to change our product specifications. Please visit www.artemide.com for the latest product information



for R=750 90°) AQ91101



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Insulating Spacer (1x) -Brushed Copper AQ45318



A.24 - Flexible Cover L=2m -Black AQ92104



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504

NO

IMAGE

AVAILABLE

A.24 - Flexible

Cover L=2m -

White

AQ92101



000

A.24 - Louver for

**Courved Elements** 

- Black (Order 1pc

for R=561 60°/90° R=750 45°, 2 pcs

for R=750 90°)

AQ91104

A.24 - Suspension Accessories -Transition Cap -Brushed copper AQ49418



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



24000 Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404