

A.24 - Suspension Sharping Emission - Track - Direct + Indirect Emission - 2352mm - 62° - 3000K - White



IP20   Dimmerable: 


DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ48001	Series:	Indoor, 2018
Colour:	White	Emission:	Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling		Direct
Environment:	Indoor		

DIMENSIONS

Length:	cm 235.2
Width:	cm 2.7
Height:	cm 5.4
Weight:	kg 2.7

INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	104W		
Type:	0		

LUMINAIRE


Watt:	50W + 32W	Delivered lumens output (lm):	6510lm
		CCT:	3000K
		CRI:	80

Notes

*Uses 3 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

ACCESSORIES


A.24 - Suspension
Accessories -
Transition Cap -
White
AQ49401



A.24 - Suspension
Accessories - End
Cap (2x) - White
AQ45101




Suspension
Accessories -
Recessed Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- White
AQ15401



240W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18000



Suspension
Accessories -
Recessed Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- Black
AQ15404



150W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18100



A.24 - Suspension
Accessories -
Ceiling Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- White
AQ16101



A.24 - Suspension
Accessories -
Ceiling Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- Black
AQ16104



A.24 - Insulating
Spacer (1x) - White
AQ45301



A.24 - Remote Box
Power Supply Kit -
313x243x57,5h -
(230VAC-48VDC
240W DALI)
AQ16000




A.24 - Sharping Kit
L=2352mm - Black
AQ26104




240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17104




150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17601



150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Dimmable



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Dimmable




150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 -
Dimmable

Undimmable -
Black
AQ17604

DALI - White
AQ17501

DALI - Black
AQ17504




DALI to DALI-Selv
Interface
103x67x21H
AQ18200



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17401



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17404



A.24 - Sharping Kit
L=2352mm -
White
AQ26101



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17101