

# **A.24 - Suspension Sharping Emission - Track - Direct Emission - 1176mm - 62° - 2700K - Brushed Copper**



IP20  Dimmerable: 


## **DESIGN BY**

Carlotta de Bevilacqua

## **DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

## **TECHNICAL DRAWINGS**



## **FEATURES**

<b>Article Code:</b>	AQ44418	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Brushed Copper		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

## **DIMENSIONS**

<b>Length:</b>	cm 117.6
<b>Width:</b>	cm 2.7
<b>Height:</b>	cm 5.4
<b>Weight:</b>	kg 1.4

## **INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	2700K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	25W	<b>Service Life:</b>	L70 (6K) 50000h
<b>Type:</b>	0		

## **LUMINAIRE**

<b>Watt:</b>	25W	<b>Delivered lumens output (lm):</b>	1624lm
		<b>CCT:</b>	2700K
		<b>CRI:</b>	90

## **Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

**ACCESSORIES**


Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ15401



240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000



Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ15404



150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ16101




A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ16104



A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17104



A.24 - Suspension  
Accessories - End  
Cap (2x) - Brushed  
Copper  
AQ45118



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17601



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17604



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17501




150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Insulating  
Spacer (1x) -  
Brushed Copper  
AQ45318  
A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed copper



AQ49418




DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



A.24 - Sharping Kit  
L=1176mm -  
White  
AQ26001



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



A.24 - Sharping Kit  
L=1176mm - Black  
AQ26004



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101