






# A.24 - Wall/Ceiling Diffused Emission - 90° Angle (same plane) - Direct Emission - 3000K - Brushed Bronze




IP20    Dimmerable: 

## DESIGN BY

Carlotta de Bevilacqua

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

<b>Article Code:</b>	AQ31420	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Brushed Bronze		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

## DIMENSIONS

<b>Length:</b>	cm 31.5
<b>Width:</b>	cm 31.5
<b>Height:</b>	cm 5.4
<b>Weight:</b>	kg 1

## INCLUDED SOURCES

<b>Category:</b>	LED	<b>Color temperature (K):</b>	3000K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	16W	<b>Service Life:</b>	L70 (6K) 50000h
<b>Type:</b>	0		

## LUMINAIRE

<b>Watt:</b>	16W	<b>Delivered lumens output (lm):</b>	1442lm
		<b>CCT:</b>	3000K
		<b>CRI:</b>	80

## Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately.

**ACCESSORIES**


A.24 - Wall/Ceiling  
Accessories - End  
Cap (2x) - Brushed  
Bronze  
AQ35020



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17901




150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17904




240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000




150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100




240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17201



240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17204



A.24 - Opal  
Diffusing Screen -  
25m  
AQ16300




A.24 - Opal  
Diffusing Screen -  
50m  
AQ16400



A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 - DALI  
AQ16801




A.24 - Flexible  
Opal Diffusing  
Screen - 10m  
AQ90000



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable  
AQ17801



A.24 - Wall/Ceiling  
Accessories -




A.24 - Flexible  
Opal Diffusing



240W Ceiling  
power supply kit -

Insulating Spacer  
(1x) - Brushed  
Bronze  
AQ35120



A.24 - Flexible  
Opal Diffusing  
Screen - 50m  
AQ90200

Screen - 25m  
AQ90100




240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17304

351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17301



A.24 - Wall/Ceiling  
Accessories -  
Transition Cap -  
Brushed bronze  
AQ39420




A.24 - Opal  
Diffusing Screen -  
10m  
AQ16200



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17701



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17704



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200