


A.24 - Wall/Ceiling Diffused Emission - 90° Angle (same plane) - Direct Emission - 4000K - White




IP20    Dimmerable: 

DESIGN BY

Carlotta de Bevilacqua

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ31501	Series:	Indoor, 2018
Colour:	White		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

DIMENSIONS

Length:	cm 31.5
Width:	cm 31.5
Height:	cm 5.4
Weight:	kg 1

INCLUDED SOURCES

Category:	LED	Color temperature (K):	4000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	16W	Service Life:	L70 (6K) 50000h
Type:	0		

LUMINAIRE

Watt:	16W	Delivered lumens output (lm):	1507lm
		CCT:	4000K
		Efficiency:	64%
		Efficacy:	94.17lm/W
		CRI:	80

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

ACCESSORIES



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100




A.24 - Wall/Ceiling Accessories - Insulating Spacer (1x) - White AQ35101




240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Opal Diffusing Screen - 25m AQ16300




A.24 - Opal Diffusing Screen - 50m AQ16400



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI) AQ16000




240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI AQ16801



A.24 - Flexible Opal Diffusing Screen - 10m AQ90000




240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable AQ17801
A.24 - Flexible



Opal Diffusing
Screen - 25m
AQ90100




power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17301



Opal Diffusing
Screen - 50m
AQ90200




240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17304



A.24 - Opal
Diffusing Screen -
10m
AQ16200




A.24 - Wall/Ceiling
Accessories - End
Cap (2x) - White
AQ35001



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17701



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17704



DALI to DALI-Selv
Interface
103x67x21H
AQ18200



A.24 - Wall/Ceiling
Accessories -
Transition Cap -
White
AQ39401