


A.24 - Wall/Ceiling Diffused Emission - Track - Direct Emission - 2352mm - 4000K - Brushed Bronze




IP20 Dimmerable:

DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ31320	Series:	Indoor, 2018
Colour:	Brushed Bronze		Artemide Collection
Installation:	Ceiling, Suspension, Wall, Recessed	Emission:	Direct
Environment:	Indoor		

DIMENSIONS

Length:	cm 235.2
Width:	cm 2.7
Height:	cm 5.4
Weight:	kg 2.7

INCLUDED SOURCES

Category:	LED	Color temperature (K):	4000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	66W	CRI:	80
Type:	0	Service Life:	L70 (6K) 50000h


LUMINAIRE

Watt:	66W	Delivered lumens output (lm):	6027lm
		CCT:	4000K
		CRI:	80

Notes

*Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 2 brackets for fixing to ceiling are included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

ACCESSORIES




A.24 - Wall/Ceiling Accessories - End Cap (2x) - Brushed Bronze
AQ35020




150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White
AQ17901




150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black
AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18000




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18100




240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White
AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black
AQ17204



A.24 - Opal Diffusing Screen - 25m
AQ16300




A.24 - Opal Diffusing Screen - 50m
AQ16400




A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)
AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI
AQ16801



A.24 - Opal Diffusing Screen - 2352mm
AQ16600



A.24 - Opal Diffusing Screen - 3528mm
AQ16700



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 -



A.24 - Wall/Ceiling Accessories - Insulating Spacer (1x) - Brushed Bronze

Undimmable
AQ17801

AQ35120




240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17301




240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17304



A.24 - Wall/Ceiling
Accessories -
Transition Cap -
Brushed bronze
AQ39420



A.24 - Opal
Diffusing Screen -
10m
AQ16200




150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17701



NO
IMAGE
AVAILABLE
Cap for cable -
Brushed Bronze
AQ35320



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17704



DALI to DALI-Selv
Interface
103x67x21H
AQ18200