PRODUCT DATA SHEET PRODUCT CODE: M140721

Airlite Ceiling stable white Dali-Switch_34°_3000K_White



IP20 ☐ Dimmerable: +**①**-


DESIGN BY

Carlotta de Bevilacqua, Paola di Arianello

DESCRIPTION

Boasting elevated luminous flux, excellent colour rendering, energy efficiency, and a light compact design, Airlite is an innovative range of LED spotlights with exceptional photometric performance and flexibility. Thanks to an innovative heat dissipation system, air is filtered through open gaps in the die-cast aluminium body ensuring the efficiency and long life of our LED module. The hybrid optical system provides defined narrow beams, while keeping the light fixture dimensions compact.

TECHNICAL DRAWINGS



FEATURES

Article Code:M140721Material:AluminiumColour:WhiteSeries:ScenariosInstallation:Projector, CeilingArea contract:Hospitality, Retail, Culture

Glow Wire Test:

DIMENSIONS

 Length:
 cm 20

 Width:
 cm 8.7

 Height:
 cm 19.4

 Weight:
 kg 1.3

 Base Width:
 cm 8.7

INCLUDED SOURCES

Category: LFD Color temperature (K): 3000K Number: **Color Tolerance:** MacAdam 3SDCM 1 Watt: 30W CRI: =80 (min.) Delivered lumens output (lm): 3310 lm Efficacv: 110 lm/W Type: Service Life: L70(9K)>50000h Class: Α

LUMINAIRE

Watt:

Voltage:

Power Supply: *Supplied with De

independent power supply for LED, dimmable Dali-SwitchDim. Voltage: 220-240V. ClassII.

220-240V. CI SELV. IP20. 35W 220-240V Delivered lumens output (lm): 3052lm CCT: 3000K

 Efficiency:
 71%

 Efficacy:
 87.20lm/W

 CRI:
 90

850



PRODUCT DATA SHEET

ACCESSORIES



Portaccessori M077820



Griglia frangiluce M078400



Lente per emissione elittica M078700



Paraluce asimmetrico M078500



Filtro soft M078800



Alette orientabili M078600



Filtro cromatico M078900



Filtro cromatico M079000



Filtro cromatico M079100