

Nuda 100 Bilateral Gray/white



IP65    


DESIGN BY

Ernesto Gismondi

DESCRIPTION

Painted aluminium unit; satin finish methacrylate diffuser.

TECHNICAL DRAWINGS



FEATURES

Article Code:	T083900	Material:	Methacrylate, painted aluminium
Colour:	Gray/white	Series:	Outdoor
Installation:	Bollard, Recessed, Floor, Wall	Emission:	Direct
Environment:	Outdoor		

DIMENSIONS

Length:	cm 16.8	Impact Resistance:	IK06
Width:	cm 4.8	Glow Wire Test:	650
Height:	cm 100		

INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	80
Watt:	17W		
Delivered lumens output (lm):	515lm		
Type:	0		
Class:	A		


LUMINAIRE

Watt:	17W	Delivered lumens output (lm):	250lm
Voltage:	220V-240 V	CCT:	3000K
		Efficiency:	36%
		Efficacy:	15lm/W
		CRI:	80

Notes

Floor fixing with ground mounting plate.

LIGHT DISTRIBUTION



We reserve the right to change our product specifications.
Please visit www.artemide.com for the latest product information

March 2019