750°C

3000K

PRODUCT DATA SHEET

Null Vector Alfa - Red



IP20 ☐ Dimmerable: **+①**-


DESIGN BY

Carlotta de Bevilacqua, Laura Pessoni

DESCRIPTION

Null Vector conveys full synthesis between optical and mechanical performance. The whole frame is generated from the progressive expansion of an individual perforating and shearing mould. This matrix has a perforated pattern that performs three functions: luminous, perceptive, and mechanical. While on one hand it originates from a carefully studied calculation of light emission in space, translated into a graphic element that supports the experienced perception, on the other it is a result of surpassing the limits posed by the material processing technology. From the matrix to the individual element that, disassembled or reassembled in turn, generates paradoxically countless systems, yet simple and easy to understand. The low-voltage LED optical system, also with progressive powers and flows, forms a solid block with the body by means of three 120° transparent pins that allow free light flow and grow gradually in size according to $\,$ the appliance's dimension. The multi-faceted frame generates a magic light effect evoking the product's simplicity and lightness. On request, greater light diffusion and homogeneity can be obtained by means of a glazed diffuser.

TECHNICAL DRAWINGS



FEATURES

Article Code:		Material:	Aluminium,
Colour:	Red		methacrylate
Installation:	Suspension	Series:	Scenarios

Glow Wire Test:

Color temperature (K):

DIMENSIONS

Length:	cm 13.7
Height:	cm 30
Depth:	cm 13.7
Max Height from ceiling:	cm 114

SOURCES NOT INCLUDED

Category:	LED
Number:	1
Watt:	6W
Type:	2
Socket:	E14
Class:	Α

LUMINAIRE

Watt:	6W	Delivered lumens output (lm):390lm	
Voltage:	230V	CCT:	3000K
		Efficacy:	55,7lm/W