

Tolomeo suspension decentralized - Structure



IP20



Dimmerable: + 0 -


DESIGN BY

Michele De Lucchi, Giancarlo Piretti

DESCRIPTION

Cantilevered arms in polished aluminium; joints in polished aluminium; diffuser in matt aluminium or in parchment paper or silk satin fabric or stainless steel ring. The code refers to the luminaire's body only

TECHNICAL DRAWINGS



FEATURES

Article Code:	0629000A	Material:	Aluminium
Colour:	Aluminium	Series:	Design
Installation:	Suspension		

DIMENSIONS

Height:	cm 80	Max Extension Length:	cm 154
Max Height from ceiling:	cm 181		

NOT INCLUDED SOURCES

Category:	HALO	Color Rendering:	1a
Number:	1	Color temperature (K):	2900K
Watt:	150W		
Lbs:	Qt32		
Socket:	E27		
Duration (h):	2000h		
Category:	HALO	Color Rendering:	1a
Number:	1	Color temperature (K):	2900K
Watt:	77W		
Lbs:	A60		
Socket:	E27		
Duration (h):	1000h		

ALTERNATIVE SOURCES


Category:	LED
Number:	1
Watt:	21W
Delivered lumens output (lm):	2452lm
Type:	2
Socket:	E27
Class:	A
Category:	LED
Number:	1
Watt:	8W
Delivered lumens output (lm):	1000lm
Type:	2
Socket:	E27
Class:	A

LUMINAIRE

Watt:	77W - 150W	CCT:	3000K
Voltage:	220V-240V		

Notes


Possibility to mount LED source on E27 Socket

ACCESSORIES

TOLOMEO MEGA
DIFF.PERG.360
0780020A



TOLOMEO
SOSP.DEC.SOLO
DIFF.METALLO
0371050A



TOLOMEO
SOSP.DEC.SOLO
DIFF.PERGAMENA
0372050A



TOLOMEO MEGA
DIFF.RASO 360
0781020A



TOLOMEO
MEGA/DEC
DIFFUSORE RASO
D.240
0781050A



TOLOMEO MEGA
DIFF.PERG.320
0780010A



TOLOMEO MEGA
DIFF.RASO 320
0781010A