

**BEGA****33 034**

Lichtbaustein®



Project · Reference number

Date

## Product data sheet

### Application

**Lichtbaustein®** Square  
Ceiling and wall luminaire for many lighting tasks.  
Ideal for places where a soft and uniform  
lighting distribution is required.

### Product description

Luminaire made of aluminium alloy,  
aluminium and stainless steel  
BEGA Unidure® coating technology  
Opal glass satin matt  
Reflector made of pure anodised aluminium  
2 mounting holes  $\varnothing$  5.5 mm  
Distance apart 130 mm  
2 cable entries for through-wiring of mains  
supply cable  $\varnothing$  7-10.5 mm  
Connection terminal 2.5<sup>2</sup>  
Earth conductor connection  
Lampholder E 27  
Safety class I  
Protection class IP 44  
Protected against granular foreign bodies  
> 1 mm and splash water  
Impact strength IK02  
Protection against mechanical  
impacts < 0.2 joule  
⚡<sup>10</sup> ⚡ – Safety mark  
CE – Conformity mark  
Weight: 1.4 kg

### Light technique

Luminaire data for the light planning program  
DIALux for outdoor lighting, street lighting and  
indoor lighting as well as luminaire data in  
EULUMDAT- and IES-format you will find on the  
BEGA web page [www.bega.com](http://www.bega.com).

### Lamp

Luminaire with lampholder E 27  
Lamp output max. 75 W

For this luminaire we recommend the following  
BEGA LED lamps:


**13510** LED 7 W · 805 lm · 2700 K

**13548** LED 7 W · 805 lm · 2700 K  
dimnable

**13584** LED 7 W · 805 lm · 3000 K

**13586** LED 7 W · 805 lm · 3000 K  
dimnable

Detailed technical and lighting data for the  
lamps can be found in the data sheets on our  
website.



### Article No. 33 034

Colour graphite or silver  
graphite – article number  
silver – article number + **A**

### Light distribution

