

BEGA**50 212.4**

Wall luminaire for indoor use

Project · Reference number


Date

Product data sheet**Application**

LED wall luminaire · indoor luminaire with velvet black luminaire housing and inside hue.
The light emits upwards and downwards.
The used LED technique offers durability and optimal light output with low power consumption at the same time.

Product description

LED wall luminaire »STUDIO LINE«
Aluminium luminaire housing,
velvet black enamel finish,
Inside hue matt brass
Reflector made of pure anodised aluminium
2 mounting holes \varnothing 4.5 mm
Elongated holes · 90 x 38 mm spacing
1 cable entry for through-wiring
for mains cable
Connecting terminal 2.5[□]
with plug connection
Earth conductor connection
LED-Module for mains voltage
220-230 V \sim 50/60 Hz
Safety class I
CE – Conformity mark
Weight: 0.9 kg

**Lamp**

Luminaire connected wattage	16 W
Rated temperature	$t_a = 25 \text{ }^\circ\text{C}$
Ambient temperature	$t_{a \text{ max}} = 40 \text{ }^\circ\text{C}$
Service life criteria	50 000 h / L_{70}

Module designation	LED-0608/830
Colour temperature	3000 K
Colour rendering index	$R_a > 80$
Module luminous flux	1520 lm
Luminaire luminous flux	425 lm
Luminaire luminous efficiency	26,6 lm/W

Article No. 50 212.4

Interior colour options

- matt aluminium
- matt brass
- matt copper

Code number **.2**
Code number **.4**
Code number **.6**