BEGA 50 835.6

Ceiling luminaire for indoor use

Project · Reference number

Date

Product data sheet

Application

LED ceiling luminaire · indoor luminaire with hand-blown opal glass and metal housing for non-glare light deflected downwards.

Product description

LED ceiling luminaire »STUDIO LINE« Aluminium luminaire housing, velvet white enamel finish Inside hue matt copper Metal luminaire mounting plate, finish white enamel Hand-blown opal glass, satin matt, with bayonet closure 2 mounting holes ø 5.5 mm Distance apart 230 mm 2 cable entries for through-wiring for mains cable up to ø 10.5 mm max. 3 × 1.5 Connection terminal 2.5 Earth conductor connection Lampholder E 27 Safety class I Impact strength IK03 Protection against mechanical impacts < 0.35 joule **C** € – Conformity mark Weight: 2.9 kg

Light technique

Luminaire data for the light planning program DIALux for outdoor lighting, street lighting and indoor lighting as well as luminaire data in EULUMDAT- and IES-format you will find on the BEGA web page www.bega.com.

Lamp

Luminaire with lampholder E 27 Lamp output max. $2 \times 25 \text{ W}$


inclusive BEGA LED lamp 13592

dimmable LED 12 W Colour temperature

2800 lm 3000 K

Detailed technical and lighting data for the lamps can be found in the data sheets on our website.





Article No. 50835.6

Interior colour options

- matt aluminium
- matt brass
- matt copper

Code number .4
Code number .6