






SUPERLOOP 120 VC SBL 930

DEEL
PARTIE
TEIL
PART
PARTE
PARTE







A










OPTIONS


SUPERLOOP POWERBOX L 900mA DIM5	321 55 309 ED5
SUPERLOOP POWERBOX H 1200mA DIM1	321 55 312 ED1
LED POWER SUPPLY 900mA / 48W / DIM5	300 90 129
LED POWER SUPPLY 1200mA / 120W / DIM1	300 90 132

	DIM 5	OR	DIM 1
I _f	900mA		1200mA
P _o	37,2W		51,9W
U _f Typical	41,3 V-DC		43,3 V-DC







12




13




14




15




16




17




18



19



19



De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.

La source lumière de cet appareil ne sera remplacée que par l'entrepri-
se ou par un agent reconnu.

Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachper-
sonal ersetzt werden.

The light source contained in this luminaire shall only be replaced by
the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede rempla-
zarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere
sostituita solo dal produt tore, da un suo centro assistenza oppure da
una persona in possesso della necessaria abilitazione.