

Dome 900 Textured

Type Lounge
Mounting Suspended
Material Aluminium
Ei. class / IP Class I / IP20
Warranty: see p.308

Titan

CCT 2700K / 3000K / 4000K
CRI Ra90 (Ra80 on request)
SDCM 3
Luminous Flux LED 2700K - Ra90: (3x) 1100lm (124lm/W)
3000K - Ra90: (3x) 1156lm (130lm/W)
4000K - Ra90: (3x) 1172lm (132lm/W)
Luminous Flux System 2700K - Ra90: (3x) 880lm (86lm/W)
3000K - Ra90: (3x) 925lm (91lm/W)
4000K - Ra90: (3x) 938lm (92lm/W)
Beam angle 28° / 40°
LED Power (3x) 8.9W / 350mA (excl. driver)
System Power (3x) 10.2W / 350mA (incl. driver)

Titan Dim-to-warm


CCT Dim-to-warm 1800-3000K
CRI Ra90
Luminous Flux LED: (3x) 860lm - System: (3x) 732lm
LED Power (3x) 8.2W / 250mA (excl. driver)
System Power (3x) 9.4W / 250mA (incl. driver)

Atlas

Luminous Flux LED 2700K - Ra90: (3x) 2585lm (135lm/W)
3000K - Ra90: (3x) 2604lm (136lm/W)
4000K - Ra90: (3x) 2755lm (143lm/W)
Luminous Flux System 2700K - Ra90: (3x) 2096lm (93lm/W)
3000K - Ra90: (3x) 2112lm (96lm/W)
4000K - Ra90: (3x) 2234lm (99lm/W)
SDCM 3
Beam angle 22° / 45° / 58°
LED Power (3x) 19.7W / 700mA (excl. driver)
System Power (3x) 22.6W / 700mA (incl. driver)

Suspension set (included):

- Ceiling box (matching luminaire color)
- Integrated strain relief
- Single steel suspension wire
- 230V Textile supply cable:
 - White cable: White luminaire
 - Grey cable: Grey luminaire
 - Black cable: All other luminaire colors



Options

Suspension set 4000mm

White 4000mm - 3x0.75mm² 102.13.01-4
White 4000mm - 5x0.75mm² 102.15.01-4
Black 4000mm - 3x0.75mm² 102.13.03-4
Black 4000mm - 5x0.75mm² 102.15.03-4
Grey 4000mm - 3x0.75mm² 102.13.18-4
Grey 4000mm - 5x0.75mm² 102.15.18-4

On Request

Dome in CRI Ra97

Dome 900 interior with Titan:



Dome 900 interior with Atlas:



Dome 900 Textured

1x E27 - max. 60W

1x E27

107.38.xx

3x Titan - Non dim

(3x) 2700K - Ra90 - 10.2W - 937lm

107.2600.24.927.xx

(3x) 3000K - Ra90 - 10.2W - 984lm

107.2600.24.930.xx

(3x) 4000K - Ra90 - 10.2W - 998lm

107.2600.24.940.xx

3x Titan - 1-10V dim

(3x) 2700K - Ra90 - 10.2W - 937lm

107.2600.25.927.xx

(3x) 3000K - Ra90 - 10.2W - 984lm

107.2600.25.930.xx

(3x) 4000K - Ra90 - 10.2W - 998lm

107.2600.25.940.xx

3x Titan - DALI dim

(3x) 2700K - Ra90 - 10.2W - 937lm

107.2600.26.927.xx

(3x) 3000K - Ra90 - 10.2W - 984lm

107.2600.26.930.xx

(3x) 4000K - Ra90 - 10.2W - 998lm

107.2600.26.940.xx

3x Titan - Mains dim

(3x) 2700K - Ra90 - 10.2W - 937lm

107.2600.27.927.xx

(3x) 3000K - Ra90 - 10.2W - 984lm

107.2600.27.930.xx

(3x) 4000K - Ra90 - 10.2W - 998lm

107.2600.27.940.xx

3x Titan - Push dim

(3x) 2700K - Ra90 - 10.2W - 937lm

107.2600.29.927.xx

(3x) 3000K - Ra90 - 10.2W - 984lm

107.2600.29.930.xx

(3x) 4000K - Ra90 - 10.2W - 998lm

107.2600.29.940.xx

3x Titan - Dim-to-warm 1800-3000K

(3x) DTW - 9.4W - 732lm - DALI dim.

107.2600.26.DTW.xx

(3x) DTW - 9.4W - 732lm - Mains dim

107.2600.27.DTW.xx

3x Atlas 58° - Non dim

(3x) 2700K - Ra90 - 22.6W - 2096lm

107.6500.24.927.xx

(3x) 3000K - Ra90 - 22.6W - 2112lm

107.6500.24.930.xx

(3x) 4000K - Ra90 - 22.6W - 2234lm

107.6500.24.940.xx

3x Atlas 58° - Touch & DALI dim

(3x) 2700K - Ra90 - 22.6W - 2096lm

107.6500.26.927.xx

(3x) 3000K - Ra90 - 22.6W - 2112lm

107.6500.26.930.xx

(3x) 4000K - Ra90 - 22.6W - 2234lm

107.6500.26.940.xx

Available colors:

000.0000.00.000.xx

Other RAL colors on request

01




White
Standard

18



Grey
Standard

03



Black
Standard

12



White + Gold Matt

25




Smoked Brown
Standard

15




Corten

05



Black + White

11



Black + Gold Matt



Dome 720 (Smoked Brown Textured)



Dome 720/900 interior with Titan (White)



Dome 900 interior with Atlas (White)



Detail of surface (White)