

COMPASS BOX LARGE 4L

Number of heads	4
Mounting	Ceiling surface
Lamps description	4 x QR-III G53 Max 75W or 4 x LED QR-III G53
Bezel and trim dimension	570x165
Voltage (V)	220/240
Environment	Indoor
Notes	Please ask Flos architectural sales team about QR-III lamps LED retrofit compatibility.



OPTICAL

Light controller description	Bare Lamps
Aiming	Adjustable
Beam angle	24°, 25°, 36°, 45°, 6°, 8°

Compass Box Large 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer


ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic dimmable
Emergency	Without
Insulation class	Class I


● 03.1063.30	Matt white
● 03.1063.29	Anodised aluminium
● 03.1063.14	Matt black
● 03.1063.WG	Wenge
● 03.1063.TK	Teak

PHYSICAL

Length (mm)	570
Width (mm)	165
Height (mm)	135
Construction material	Aluminium
Weight (kg)	4,80



CERTIFICATIONS



Compass Box Large 4L . Accessories

Optical



● 08.8034.14

Screening cylinder

Screening cylinder with rotating pin in a black thermoplastic material



● 08.8036.14

Honeycomb

Anti-glare grid in aluminium cells with black liquid paint finish



Compass Box Large 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

- 03.1063.30 Matt white
- 03.1063.29 Anodised aluminium
- 03.1063.14 Matt black
- 03.1063.WG Wenge
- 03.1063.TK Teak

Compass Box Large 4L . Lamps



60.6398

QR-III

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6398

Lamp type:
QR-III



60.6374

QR-III

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6374

Lamp type:
QR-III



60.6375

QR-III

Lamp Watt:
75 W

Lamp category:
Halogen low voltage


Socket:
G53

Lamp angle:
8 °

Color temperature (K):
3000 °K

Catalog reference:
60.6375

Lamp type:
QR-III



CERTIFICATIONS



Compass Box Large 4L . Lamps



60.6376

QR-III

Lamp Watt:
75 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6376

Lamp type:
QR-III



60.6862

QR-III

Lamp Watt:
30 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
8 °

Color temperature (K):
3000 °K

Catalog reference:
60.6862

Lamp type:
QR-III



60.6861

QR-III

Lamp Watt:
45 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
45 °

Color temperature (K):
3000 °K

Catalog reference:
60.6861

Lamp type:
QR-III



Compass Box Large 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

	03.1063.30	Matt white
	03.1063.29	Anodised aluminium
	03.1063.14	Matt black
	03.1063.WG	Wenge
	03.1063.TK	Teak



60.6863

QR-III

Lamp Watt:
60 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
8 °

Color temperature (K):
3000 °K

Catalog reference:
60.6863

Lamp type:
QR-III



60.6864

QR-III

Lamp Watt:
60 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6864

Lamp type:
QR-III



60.6450 IRC

QR-III

Lamp Watt:
50 W

Lamp category:
Halogen low voltage


Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6450 IRC

Lamp type:
QR-III



CERTIFICATIONS



Compass Box Large 4L . Lamps



60.6452 IRC

QR-III

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6452 IRC

Lamp type:
QR-III

60.6454 IRC

QR-III

Lamp Watt:
65 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6454 IRC

Lamp type:
QR-III

60.6455 IRC

QR-III

Lamp Watt:
65 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
8 °

Color temperature (K):
3000 °K


Catalog reference:
60.6455 IRC

Lamp type:
QR-III

Compass Box Large 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

	03.1063.30	Matt white
	03.1063.29	Anodised aluminium
	03.1063.14	Matt black
	03.1063.WG	Wenge
	03.1063.TK	Teak



60.6456 IRC

QR-III

Lamp Watt:
45 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
45 °

Color temperature (K):
3000 °K

Catalog reference:
60.6456 IRC

Lamp type:
QR-III

60.6458 IRC

QR-III

Lamp Watt:
45 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6458 IRC

Lamp type:
QR-III

60.6575 IRC

QR-III

Lamp Watt:
65 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
45 °

Color temperature (K):
3000 °K

Catalog reference:
60.6575 IRC

Lamp type:
QR-III

CERTIFICATIONS



Compass Box Large 4L . Lamps



60.6962

LED QR-III

Lamp Watt:

12 W

Lamp category:

LED

Socket:

G53

Lamp angle:

24 °

Color temperature (K):

2800 °K

Catalog reference:

60.6962

Lamp type:

LED QR-III

60.6989

QR-III

Lamp Watt:

50 W

Lamp category:

Halogen low voltage

Socket:

G53

Lamp angle:

6 °

Color temperature (K):

3000 °K

Catalog reference:

60.6989

Lamp type:

QR-III




Compass Box Large 4L

designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

03.1063.30	Matt white
03.1063.29	Anodised aluminium
03.1063.14	Matt black
03.1063.WG	Wenge
03.1063.TK	Teak



CERTIFICATIONS

