

COMPASS BOX SMALL 4L

Number of heads	4
Mounting	Ceiling surface
Lamps description	4 x QR-CBC 51 GX5.3 Max 35W or 4 x LED QR-CBC 51 GX5.3 7/10W
Bezel and trim dimension	100 x 325
Voltage (V)	220/240
Environment	Indoor



OPTICAL

Light controller description	Bare Lamps
Aiming	Adjustable
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

Compass Box Small 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer


ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic dimmable
Emergency	Without
Insulation class	Class I



● 03.2603.30	Matt white
● 03.2603.29	Anodised aluminium
● 03.2603.14	Matt black
● 03.2603.WG	Wenge
● 03.2603.TK	Teak

PHYSICAL

Length (mm)	100
Width (mm)	325
Height (mm)	160
Construction material	Aluminium
Weight (kg)	2,80



CERTIFICATIONS



Compass Box Small 4L . Accessories

Optical



08.8196.14

Honeycomb

"Honeycomb" anti-glare grid in aluminium cells with black liquid paint finish.



08.8238.14

Screening cylinder

Screening cylinder with rotating pin in a black thermoplastic material



Compass Box Small 4L

designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

	03.2603.30	Matt white
	03.2603.29	Anodised aluminium
	03.2603.14	Matt black
	03.2603.WG	Wenge
	03.2603.TK	Teak

Compass Box Small 4L . Lamps



60.6393

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6393

Lamp type:
QR-CBC 51



60.6394

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6394

Lamp type:
QR-CBC 51



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage


Socket:
GX5.3

Lamp angle:
60 °



Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



CERTIFICATIONS



Compass Box Small 4L . Lamps



60.6355
QR-CBC 51
Lamp Watt:
 35 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 24 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6355
Lamp type:
 QR-CBC 51



60.6356
QR-CBC 51
Lamp Watt:
 35 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 38 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6356
Lamp type:
 QR-CBC 51



60.6357
QR-CBC 51
Lamp Watt:
 35 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 60 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6357
Lamp type:
 QR-CBC 51



Compass Box Small 4L designed by FLOS Architectural

Surface spotlight to be installed on ceiling/wall. Electronic transformer integrated 220/240V 12V 50/60Hz. The light intensity may be adjusted by means of "trailing edge" dimmer

- 03.2603.30 Matt white
- 03.2603.29 Anodised aluminium
- 03.2603.14 Matt black
- 03.2603.WG Wenge
- 03.2603.TK Teak




BU19
QR-CBC 51
Lamp Watt:
 20 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 38 °
Color temperature (K):
 3000 °K
Catalog reference:
 BU19
Lamp type:
 QR-CBC 51



BU20
QR-CBC 51
Lamp Watt:
 35 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 38 °
Color temperature (K):
 3000 °K
Catalog reference:
 BU20
Lamp type:
 QR-CBC 51



60.6891
LED QR-CBC 51
Lamp Watt:
 8 W
Lamp category:
 LED
Socket:
 GX5.3
Lamp angle:
 24 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6891
Lamp type:
 LED QR-CBC 51



CERTIFICATIONS

