

COMPASS BOX RECESSED SMALL 2L

Number of heads	2
Mounting	Ceiling recessed
Lamps description	QR-CBC 5I GX5.3 Max 2 x 50W or LED QR-CBC 5I GX5.3 2 x 7/10W
Voltage (V)	12
Environment	Indoor
Notes	Pre-installation frame must be ordered separately

OPTICAL

Light controller description	Bare lamp
Reflector finish	Aluminum
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Transformer type	Electronic, Electronic dimmable
Emergency	Without
Insulation class	Class III

PHYSICAL


Recessed depth (mm)	205
Construction material	Pressed steel
Weight (kg)	0,90




Compass Box Recessed Small 2L
designed by FLOS Architectural

No Trim 12V halogen lamp recessed downlight. Remote transformer not included

● 03.2651.14	Black
● 03.2651.30	White



CERTIFICATIONS



Compass Box Recessed Small 2L . Accessories

Optical



08.8196.14

Honeycomb

"Honeycomb" anti-glare grid in aluminium cells with black liquid paint finish.



08.8238.14

Screening cylinder

Screening cylinder with rotating pin in a black thermoplastic material



Compass Box Recessed Small 2L
designed by FLOS Architectural

No Trim 12V halogen lamp recessed downlight. Remote transformer not included

03.2651.14	Black
03.2651.30	White

Mounting




TO BE COMPLETED WITH:
INSTALLATION FRAME.
AVAILABLE AS ACCESSORY ELEMENT.
MUST BE ORDERED SEPARATELY.

08.8192.00



Example
03.2651.14 + 08.8192.00




08.8192.00

Pre-installation frame

Pre-installation frame small
2 lights

HOW TO ORDER



CERTIFICATIONS



GWT
850°



20°



III



IP
20

Compass Box Recessed Small 2L . Lamps



60.6392

QR-CBC 5I

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
10 °

Color temperature (K):
3000 °K

Catalog reference:
60.6392

Lamp type:
QR-CBC 5I



60.6359

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6359

Lamp type:
QR-CBC 5I



60.6360

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6360

Lamp type:
QR-CBC 5I



60.6361

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6361

Lamp type:
QR-CBC 5I



60.6393

QR-CBC 5I

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6393

Lamp type:
QR-CBC 5I



60.6394

QR-CBC 5I

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6394


Lamp type:
QR-CBC 5I



Compass Box Recessed Small 2L
designed by FLOS Architectural

No Trim 12V halogen lamp recessed
downlight. Remote transformer not
included

● 03.2651.14 Black
● 03.2651.30 White



CERTIFICATIONS



Compass Box Recessed Small 2L . Lamps



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



60.6355

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6355

Lamp type:
QR-CBC 51



60.6356

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6356

Lamp type:
QR-CBC 51



60.6357

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6357

Lamp type:
QR-CBC 51



BU19

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU19

Lamp type:
QR-CBC 51



BU20

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU20


Lamp type:
QR-CBC 51



Compass Box Recessed Small 2L
designed by FLOS Architectural

No Trim 12V halogen lamp recessed
downlight. Remote transformer not
included

● 03.2651.14 Black
● 03.2651.30 White



CERTIFICATIONS



Compass Box Recessed Small 2L . Lamps



BU2I

QR-CBC 5I

Lamp Watt:

50 W

Lamp category:

Halogen low voltage

Socket:

GX5.3

Lamp angle:

60 °

Color temperature (K):

3000 °K

Catalog reference:

BU2I

Lamp type:

QR-CBC 5I



60.689I

LED QR-CBC 5I

Lamp Watt:

8 W

Lamp category:

LED

Socket:

GX5.3

Lamp angle:

24 °

Color temperature (K):

3000 °K

Catalog reference:

60.689I

Lamp type:


LED QR-CBC 5I



Compass Box Recessed Small 2L designed by FLOS Architectural

No Trim 12V halogen lamp recessed
downlight. Remote transformer not
included

● 03.265I.14	Black
● 03.265I.30	White



CERTIFICATIONS

