

KAP Ø80 FIXED

Number of heads	1
Mounting	Ceiling recessed
Lamps description	QR-CBC 5I GX5.3 Max 50W or LED QR-CBC 5I GX5.3 Max 8W
Voltage (V)	12
Environment	Indoor
Notes	Fast&Perfect pre-installation frame. To be ordered separately.

OPTICAL

Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Transformer type	Electronic
Emergency	Without
Insulation class	Class III

PHYSICAL


Diameter (mm)	74
Recessed depth (mm)	130
Construction material	Die-cast aluminum
Weight (kg)	0,12






Kap Ø80 Fixed
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

● 03.4228.GL	Gold
● 03.4228.BI	White
● 03.4228.BU	Blue
● 03.4228.74	Black
● 03.4228.CU	Copper



CERTIFICATIONS



Kap Ø80 Fixed . Accessories

Mounting



08.9102.00

Installation frame No Trim



08.9100.00

Fast&Perfect tool ø126



Kap Ø80 Fixed
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4228.GL	Gold
03.4228.BI	White
03.4228.BU	Blue
03.4228.74	Black
03.4228.CU	Copper

Kap Ø80 Fixed . Lamps



60.6392

QR-CBC 5I

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
10 °

Color temperature (K):
3000 °K

Catalog reference:
60.6392

Lamp type:
QR-CBC 5I



60.6359

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6359

Lamp type:
QR-CBC 5I



60.6360

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage


Socket:
GX5.3

Lamp angle:
38 °


Color temperature (K):
3000 °K

Catalog reference:
60.6360

Lamp type:
QR-CBC 5I



CERTIFICATIONS



Kap Ø80 Fixed . Lamps



60.6361

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6361

Lamp type:
QR-CBC 51



60.6393

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6393

Lamp type:
QR-CBC 51



60.6394

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6394

Lamp type:
QR-CBC 51



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



60.6355

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6355

Lamp type:
QR-CBC 51



60.6356

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6356


Lamp type:
QR-CBC 51




Kap Ø80 Fixed
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4228.GL	Gold
03.4228.BI	White
03.4228.BU	Blue
03.4228.74	Black
03.4228.CU	Copper



CERTIFICATIONS



Kap Ø80 Fixed . Lamps



60.6357

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6357

Lamp type:
QR-CBC 51



BU19

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU19

Lamp type:
QR-CBC 51



BU20

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU20


Lamp type:
QR-CBC 51



Kap Ø80 Fixed
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4228.GL	Gold
03.4228.BI	White
03.4228.BU	Blue
03.4228.74	Black
03.4228.CU	Copper



BU21

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
BU21

Lamp type:
QR-CBC 51



60.6891

LED QR-CBC 51

Lamp Watt:
8 W

Lamp category:
LED

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6891

Lamp type:
LED QR-CBC 51



60.6992

LED QR-CBC 51

Lamp Watt:
6,5 W

Lamp category:
LED

Socket:
GX5.3



Lamp angle:
36 °

Color temperature (K):
3000 °K

Catalog reference:
60.6992

Lamp type:
LED QR-CBC 51

CERTIFICATIONS



Kap Ø80 Fixed . Lamps



60.6990

LED QR-CBC 5 I

Lamp Watt:

6,5 W

Lamp category:

LED

Socket:

GX5.3

Lamp angle:

24 °

Color temperature (K):

3000 °K

Catalog reference:

60.6990

Lamp type:

LED QR-CBC 5 I




Kap Ø80 Fixed

designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4228.GL	Gold
03.4228.BI	White
03.4228.BU	Blue
03.4228.74	Black
03.4228.CU	Copper



CERTIFICATIONS

