

KAP 80 SQUARE WALL-WASHER

Number of heads	1
Mounting	Ceiling recessed
Lamps description	PAR 16 GZ10 Max 50W or LED PAR 16 GZ10 Max 8W
Voltage (V)	220/240
Environment	Indoor
Notes	Fast&Perfect pre-installation frame. To be ordered separately.

OPTICAL


Aiming	Fixed
Light distribution symmetry	Asymmetric
Beam angle	10°, 25°, 35°, 36°, 40°, 50°, 60°

ELECTRICAL

Emergency	Without
Insulation class	Class II

PHYSICAL



Recessed depth (mm)	140
Construction material	Die-cast aluminum
Weight (kg)	0,12





Kap 80 Square Wall-Washer
designed by FLOS Architectural

Recessed luminaire with main voltage source.

03.4243.GL	Gold
03.4243.BI	White
03.4243.BU	Blue
03.4243.74	Black
03.4243.CU	Copper



CERTIFICATIONS



Kap 80 Square Wall-Washer . Accessories

Mounting




08.9103.00

Installation frame No Trim



08.9101.00

Fast&Perfect tool ø153



Kap 80 Square Wall-Washer
designed by FLOS Architectural

Recessed luminaire with main voltage source.

03.4243.GL	Gold
03.4243.BI	White
03.4243.BU	Blue
03.4243.74	Black
03.4243.CU	Copper

Kap 80 Square Wall-Washer . Lamps



60.6365

PAR 16

Lamp Watt:
50 W

Lamp category:
Halogen mains

Socket:
GU10

Lamp angle:
35 °

Color temperature (K):
2900 °K

Catalog reference:
60.6365

Lamp type:
PAR 16



60.6396

PAR 16

Lamp Watt:
50 W

Lamp category:
Halogen mains

Socket:
GU10

Lamp angle:
50 °

Color temperature (K):
2900 °K

Catalog reference:
60.6396

Lamp type:
PAR 16



60.6693

LED PAR 16

Lamp Watt:
4 W

Lamp category:
LED


Socket:
GU10

Lamp angle:
25 °



Color temperature (K):
2700 °K

Catalog reference:
60.6693

Lamp type:
LED PAR 16



CERTIFICATIONS



Kap 80 Square Wall-Washer . Lamps



60.6694

LED PAR 16

Lamp Watt:
4 W

Lamp category:
LED

Socket:
GU10

Lamp angle:
40 °

Color temperature (K):
2700 °K

Catalog reference:
60.6694

Lamp type:
LED PAR 16



60.6695

LED PAR 16

Lamp Watt:
4 W

Lamp category:
LED

Socket:
GU10

Lamp angle:
25 °

Color temperature (K):
3000 °K

Catalog reference:
60.6695

Lamp type:
LED PAR 16



60.6968

LED PAR 16

Lamp Watt:
5,4 W

Lamp category:
LED


Socket:
GU10

Lamp angle:
40 °

Color temperature (K):
3000 °K

Catalog reference:
60.6968


Lamp type:
LED PAR 16



Kap 80 Square Wall-Washer
designed by FLOS Architectural

Recessed luminaire with main voltage source.

03.4243.GL	Gold
03.4243.BI	White
03.4243.BU	Blue
03.4243.74	Black
03.4243.CU	Copper



CERTIFICATIONS

