

KAP Ø80 WALL-WASHER

Number of heads	1
Mounting	Ceiling recessed
Lamps description	QR-CBC 5I GX5.3 Max 50W or LED QR-CBC 5I GX5.3 Max 8W
Voltage (V)	12
Environment	Indoor
Notes	Fast&Perfect pre-installation frame. To be ordered separately.

OPTICAL


Aiming	Fixed
Light distribution symmetry	Asymmetric
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Transformer type	Electronic
Emergency	Without
Insulation class	Class III

PHYSICAL


Diameter (mm)	74
Recessed depth (mm)	130
Construction material	Die-cast aluminum
Weight (kg)	0,12





Kap Ø80 Wall-Washer
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4244.GL (35°)	Gold
03.4244.BI (34°)	White
03.4244.BU (34°)	Blue
03.4244.74 (34°)	Black
03.4244.CU (33°)	Copper



CERTIFICATIONS



Kap Ø80 Wall-Washer . Accessories

Mounting




08.9102.00

Installation frame No Trim



08.9100.00

Fast&Perfect tool ø126



Kap Ø80 Wall-Washer
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4244.GL (35°)	Gold
03.4244.BI (34°)	White
03.4244.BU (34°)	Blue
03.4244.74 (34°)	Black
03.4244.CU (33°)	Copper

Kap Ø80 Wall-Washer . Lamps



60.6392

QR-CBC 5I

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
10 °

Color temperature (K):
3000 °K

Catalog reference:
60.6392

Lamp type:
QR-CBC 5I



60.6359

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6359

Lamp type:
QR-CBC 5I



60.6360

QR-CBC 5I

Lamp Watt:
50 W

Lamp category:
Halogen low voltage


Socket:
GX5.3

Lamp angle:
38 °


Color temperature (K):
3000 °K

Catalog reference:
60.6360

Lamp type:
QR-CBC 5I



CERTIFICATIONS



Kap Ø80 Wall-Washer . Lamps



60.6361

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6361

Lamp type:
QR-CBC 51



60.6393

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6393

Lamp type:
QR-CBC 51



60.6394

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6394

Lamp type:
QR-CBC 51



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



60.6355

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6355

Lamp type:
QR-CBC 51



60.6356

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage


Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6356


Lamp type:
QR-CBC 51




Kap Ø80 Wall-Washer
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4244.GL (35°)	Gold
03.4244.BI (34°)	White
03.4244.BU (34°)	Blue
03.4244.74 (34°)	Black
03.4244.CU (33°)	Copper



CERTIFICATIONS



Kap Ø80 Wall-Washer . Lamps



60.6357

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6357

Lamp type:
QR-CBC 51



BU19

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU19

Lamp type:
QR-CBC 51



BU20

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU20

Lamp type:
QR-CBC 51



BU21

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
BU21

Lamp type:
QR-CBC 51



60.6891

LED QR-CBC 51

Lamp Watt:
8 W

Lamp category:
LED

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6891

Lamp type:
LED QR-CBC 51



60.6992

LED QR-CBC 51

Lamp Watt:
6,5 W

Lamp category:
LED


Socket:
GX5.3

Lamp angle:
36 °

Color temperature (K):
3000 °K

Catalog reference:
60.6992


Lamp type:
LED QR-CBC 51




Kap Ø80 Wall-Washer
designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

03.4244.GL (35°)	Gold
03.4244.BI (34°)	White
03.4244.BU (34°)	Blue
03.4244.74 (34°)	Black
03.4244.CU (33°)	Copper



CERTIFICATIONS



Kap Ø80 Wall-Washer . Lamps



60.6990

LED QR-CBC 5 I

Lamp Watt:

6,5 W

Lamp category:

LED

Socket:

GX5.3

Lamp angle:

24 °

Color temperature (K):


3000 °K

Catalog reference:

60.6990

Lamp type:

LED QR-CBC 5 I




Kap Ø80 Wall-Washer

designed by FLOS Architectural

Recessed 12V halogen lamp luminaire.
Remote transformer not included.

	03.4244.GL (35°)	Gold
	03.4244.BI (34°)	White
	03.4244.BU (34°)	Blue
	03.4244.74 (34°)	Black
	03.4244.CU (33°)	Copper



CERTIFICATIONS

