

LIGHT SNIPER FIXED SQUARE DOUBLE FOCUS

Number of heads

Mounting Ceiling recessed

Lamps description QT-12 GY6.35 Max 50W

Voltage (V) 12 Environment Indoor

OPTICAL

Light controller description Protection glass

AimingFixedLight distribution symmetrySymmetricBeam angle59°

ELECTRICAL


Transformer availability Separate item
Transformer mounting Remote

Transformer type Electronic dimmable

Emergency Without Insulation class III

PHYSICAL

Cutout diameter (mm) 90
Length (mm) 100
Width (mm) 100
Recessed depth (mm) 150
Construction material Aluminium
Weight (kg) 0,40






Light Sniper Fixed Square Double Focus

designed by FLOS Architectural

High performance 12V halogen lamp recessed downlight. Remote transformer not included





CERTIFICATIONS
















Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Square Double Focus. Accessories

Mounting









08.8240.00B

Flush ceilling square frame accessory

08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.

08.8250.00

Concrete instalation

Light Sniper Fixed Square Double Focus


designed by FLOS Architectural

High performance I2V halogen lamp recessed downlight. Remote transformer not included


03.4611.06

Chrome





Ceiling protector accessory. Square



CERTIFICATIONS
















Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Square Double Focus. Lamps





60.6300 60.6303

QT-12 QT-12

Lamp Watt: Lamp Watt: 35 W 50 W

Lamp category:Lamp category:Halogen low voltageHalogen low voltage

Socket: Socket: GY6.35 GY6.35

Color temperature (K): Color temperature (K):

3000 °K 3000 °K

Catalog reference: Catalog reference:


60.6300 60.6303 **Lamp type: Lamp type:**QT-12 QT-12




Light Sniper Fixed Square Double Focus

designed by FLOS Architectural

High performance 12V halogen lamp recessed downlight. Remote transformer not included





CERTIFICATIONS














Flos.architectural@flos.com www.flos.com