

LIGHT SNIPER FIXED ROUND DOUBLE FOCUS

Number of heads	1
Mounting	Ceiling recessed
Lamps description	CDM-TM PGJ5 Max 35W
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Light controller description	Protection glass
Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	53°

ELECTRICAL

Control gear availability	Separate item
Control gear type	Conventional, Electronic
Control gear mounting	Remote
Emergency	Without
Insulation class	Class I

PHYSICAL


Cutout diameter (mm)	90
Diameter (mm)	100
Recessed depth (mm)	150
Construction material	Aluminium
Weight (kg)	0,40





Light Sniper Fixed Round Double Focus designed by FLOS Architectural

High performance metal halide lamp recessed downlight. Remote ballast not included

03.4620.06 Chrome



CERTIFICATIONS



Light Sniper Fixed Round Double Focus . Accessories

Mounting



○ 08.8239.00B

Flush ceiling round frame accessory




08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.



08.8250.00

Concrete installation can.




Light Sniper Fixed Round Double Focus
designed by FLOS Architectural

High performance metal halide lamp recessed downlight. Remote ballast not included



● 03.4620.06

Chrome




○ 08.8229.30A

Ceiling protector accessory. Round



CERTIFICATIONS



Light Sniper Fixed Round Double Focus . Lamps



60.6149

CDM-Tm

Lamp Watt:
20 W

Lamp category:
Metal halide

Socket:
PGJ5

Color temperature (K):
3000 °K

Catalog reference:
60.6149

Lamp type:
CDM-Tm



60.6151

CDM-Tm

Lamp Watt:
35 W

Lamp category:
Metal halide

Socket:
PGJ5

Color temperature (K):
3000 °K

Catalog reference:
60.6151

Lamp type:
CDM-Tm




Light Sniper Fixed Round Double Focus
designed by FLOS Architectural

High performance metal halide lamp
recessed downlight. Remote ballast
not included

03.4620.06

Chrome



CERTIFICATIONS

