

LIGHT SNIPER FIXED SQUARE DOUBLE FOCUS

Number of heads

Mounting Ceiling recessed

Lamps description CDM-TM PGJ5 Max 35W

Voltage (V) 220/240 Environment Indoor

OPTICAL

Light controller description Protection glass

AimingFixedLight distribution symmetrySymmetricBeam angle58°

ELECTRICAL


Control gear availability Separate item

Control gear type Conventional, Electronic

Control gear mountingRemoteEmergencyWithoutInsulation classClass I

PHYSICAL

Cutout diameter (mm) 90
Length (mm) 100
Width (mm) 100
Recessed depth (mm) 150
Construction material Aluminium
Weight (kg) 0,40






Light Sniper Fixed Square Double Focus

designed by FLOS Architectural

High performance metal halide lamp recessed downlight. Remote ballast not included

03.4621.06 Chrome



CERTIFICATIONS
















Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Square Double Focus. Accessories

Mounting









08.8240.00B

08.8243.00.5U

08.8250.00

designed by FLOS Architectural

Flush ceilling square frame accessory

08.8243.00.1U

08.8243.00

Concrete instalation

High performance metal halide lamp recessed downlight. Remote ballast not included

Ceiling protector accessory.



03.4621.06


Chrome





08.8222.30A

Ceiling protector accessory. Square



CERTIFICATIONS
















Light Sniper Fixed Square Double Focus. Lamps





60.6151

35 W

CDM-Tm

Lamp Watt:

60.6149 CDM-Tm Lamp Watt: 20 W

Lamp category:Lamp category:Metal halideMetal halideSocket:Socket:PGJ5PGJ5

PGJ5 PGJ5

Color temperature (K): Color temperature (K): 3000 °K

Catalog reference: Catalog reference:

 60.6149
 60.6151

 Lamp type:
 Lamp type:

 CDM-Tm
 CDM-Tm




Light Sniper Fixed Square Double Focus

designed by FLOS Architectural

High performance metal halide lamp recessed downlight. Remote ballast not included





CERTIFICATIONS














Flos.architectural@flos.com www.flos.com