FLOS

LIGHT SNIPER FIXED ROUND DALI

L

Bare lamps

Symmetric

Included

Fixed

23°

Number of heads Mounting Lamps description Luminaire luminous flux Voltage (V) Environment

Ceiling recessed Phosphor LED 9W 800 Im 3000K CRI 98 Extreme Cut-off. See reference number 220/240 Indoor

OPTICAL

Light controller description Aiming Light distribution symmetry Beam angle

ELECTRICAL

Transformer availability Transformer mounting Transformer type Emergency Insulation class

Remote Electronic dimmable dali Without Class II

PHYSICAL

Cutout diameter (mm)
Diameter (mm)
Recessed depth (mm)
Construction material
Weight (kg)








Light Sniper Fixed Round Dali designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.







F (

Light Sniper Fixed Round Dali . Accessories

Mounting





08.8239.00B

Flush ceilling round frame accessory

08.8243.00.5U

08.8243.00

08.8243.00.IU

Ceiling protector accessory.



08.8250.00


Concrete instalation can.



Light Sniper Fixed Round Dali designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.









08.8229.30A

Ceiling protector accessory. Round

FLC

Light Sniper Fixed Round Dali . Lamps




Phosphor LED Lamp category: LED Lamp type: Phosphor LED



High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.







23



Flos.architectural@flos.com