FI (

LIGHT SNIPER FIXED SQUARE

L

Bare lamps

Symmetric

Included

Remote

Electronic

Without

Class II

Fixed

24°

Number of heads Mounting Lamps description Luminaire luminous flux Voltage (V) Environment

Ceiling recessed Phosphor LED 9W 800 Im 3000K CRI 98 Extreme Cut-off. See reference number 220/240 Indoor

OPTICAL

Light controller description Aiming Light distribution symmetry Beam angle

ELECTRICAL

Transformer availability **Transformer mounting Transformer type** Emergency Insulation class

PHYSICAL

Cutout diameter (mm)	90
Length (mm)	100
Width (mm)	100
Recessed depth (mm)	115
Construction material	Aluminium
Weight (kg)	0,51






Light Sniper Fixed Square designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included





CERTIFICATIONS





F

X03

F (

Light Sniper Fixed Square . Accessories

Mounting







Flush ceilling square frame accessory

08.8243.00.5U

08.8243.00

08.8243.00.IU

Ceiling protector accessory.



08.8250.00


Concrete instalation can.






Light Sniper Fixed Square designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included





CERTIFICATIONS

K03

IP

23







08.8222.30A

Ceiling protector accessory. Square

FLC

Light Sniper Fixed Square . Lamps




Phosphor LED Lamp category: LED Lamp type: Phosphor LED



Light Sniper Fixed Square designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included





CERTIFICATIONS

















