FLOS

LIGHT SNIPER FIXED SQUARE DALI

Number of heads

Mounting Ceiling recessed

Lamps descriptionPhosphor LED 9W 800 Im 3000K CRI 98Luminaire luminous fluxExtreme Cut-off. See reference number

Voltage (V) 220/240 Environment Indoor

OPTICAL

Light controller descriptionBare lampsAimingFixedLight distribution symmetrySymmetricBeam angle24°

ELECTRICAL

Transformer availability Included
Transformer mounting Remote

Transformer type Electronic dimmable dali

Emergency Without Insulation class Class II

PHYSICAL

Cutout diameter (mm) 90
Length (mm) 100
Width (mm) 100
Recessed depth (mm) 115
Construction material Aluminium
Weight (kg) 0,51






Light Sniper Fixed Square Dali designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included





CERTIFICATIONS


















Light Sniper Fixed Square Dali. Accessories

Mounting







08.8240.00B

frame accessory

Flush ceilling square

08.8243.00 08.8243.00.5U

Concrete instalation can.

08.8250.00

08.8243.00.1U

Ceiling protector accessory.

Light Sniper Fixed Square Dali designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included




03.4633.06ADA - 167lm Chrome

03.4633.GLADA - 167lm Gold

03.4633.14ADA - 167lm Gold Matt black



Ceiling protector accessory. Square



CERTIFICATIONS
















Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Square Dali . Lamps




Phosphor LED
Lamp category:
LED
Lamp type:
Phosphor LED



Light Sniper Fixed Square Dali designed by FLOS Architectural

High performance LED recessed downlight. Phosphor LED module integrated. Remote electronic transformer 220/240 V included

03.4633.06ADA - 167lm Chrome
03.4633.GLADA - 167lm Gold
03.4633.14ADA - 167lm Matt black



CERTIFICATIONS




%03











Flos.architectural@flos.com www.flos.com