

LIGHT SNIPER ADJUSTABLE ROUND I-10V

Number of heads	1
Mounting	Ceiling recessed
Lamps description	Phosphor LED 9W 800 lm 3000K CRI 98
Luminaire luminous flux	Extreme Cut-off. See reference number
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Light controller description	Bare lamps
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	23°

ELECTRICAL

Transformer availability	Included
Transformer mounting	Remote
Transformer type	Electronic dimmable I-10V
Emergency	Without
Insulation class	Class II

PHYSICAL


Cutout diameter (mm)	90
Diameter (mm)	100
Recessed depth (mm)	125
Construction material	Aluminium
Weight (kg)	0,51





Light Sniper Adjustable Round I-10V
designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

- 03.4683.06AIV - 125lm Chrome
- 03.4683.GLAIV - 125lm Gold
- 03.4683.14AIV - 125lm Matt black



CERTIFICATIONS



Light Sniper Adjustable Round I-10V . Accessories

Mounting



○ 08.8239.00B
Flush ceiling round frame accessory



08.8243.00
08.8243.00.5U
08.8243.00.1U
Ceiling protector accessory.



08.8250.00
Concrete installation can.




Light Sniper Adjustable Round I-10V
designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.



- 03.4683.06AIV - 125lm Chrome
- 03.4683.GLAIV - 125lm Gold
- 03.4683.14AIV - 125lm Matt black



○ 08.8229.30A
Ceiling protector accessory. Round



CERTIFICATIONS



Light Sniper Adjustable Round I-10V . Lamps



Phosphor LED

Lamp category:
LED


Lamp type:
Phosphor LED



Light Sniper Adjustable Round I-10V
designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

- 03.4683.06AIV - 125lm Chrome
- 03.4683.GLAIV - 125lm Gold
- 03.4683.14AIV - 125lm Matt black



CERTIFICATIONS

