FLOS

LIGHT SNIPER ADJUSTABLE SQUARE 1-10V

Number of heads

Mounting Ceiling recessed

Lamps descriptionPhosphor LED 9W 800 Im 3000K CRI 98Luminaire luminous fluxExtreme Cut-off. See reference number

Voltage (V) 220/240 Environment Indoor

OPTICAL

Light controller descriptionBare lampsAimingAdjustableLight distribution symmetrySymmetricBeam angle36°

ELECTRICAL


Transformer availability Included
Transformer mounting Remote

Transformer type Electronic dimmable I-10V

Emergency Without Insulation class Class II

PHYSICAL

Cutout diameter (mm) 90
Length (mm) 100
Width (mm) 100
Recessed depth (mm) 125
Construction material Aluminium
Weight (kg) 0,51







Light Sniper Adjustable Square I-10V designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4686.06A1V - 281Im Chrome
03.4686.GLA1V - 281Im Gold
03.4686.14A1V - 281Im Matt black





CERTIFICATIONS






















Light Sniper Adjustable Square I-10V . Accessories

Mounting



08.8240.00B

Flush ceilling square

frame accessory





08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.

08.8250.00


Concrete instalation can.



Light Sniper Adjustable Square I-10V designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.







08.8222.30A

Ceiling protector accessory. Square

CERTIFICATIONS




















Flos.architectural@flos.com www.flos.com



Light Sniper Adjustable Square I-10V. Lamps



Phosphor LED
Lamp category:
LED
Lamp type:


Phosphor LED



Light Sniper Adjustable Square I-10V designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.





CERTIFICATIONS









GWT









