LIGHT SNIPER ADJUSTABLE SQUARE

Number of heads

Mounting Ceiling recessed

Phosphor LED 9W 800 Im 3000K CRI 98 Lamps description Luminaire luminous flux Extreme Cut-off. See reference number

Voltage (V) 220/240 **Environment** Indoor

OPTICAL

Light controller description Bare lamps **Aiming** Adjustable Light distribution symmetry Symmetric 24° Beam angle

ELECTRICAL

Transformer availability Included **Transformer mounting** Remote Transformer type Electronic **Emergency** Without **Insulation class** Class II

PHYSICAL

Cutout diameter (mm) 90 Length (mm) 100 Width (mm) 100 Recessed depth (mm) 125 **Construction material** Aluminium Weight (kg) 0,51







Light Sniper Adjustable Square designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4687.06A - 153lm Chrome 03.4687.GLA - 153lm Gold 03.4687.14A - 153lm Matt black





CERTIFICATIONS






















Light Sniper Adjustable Square. Accessories

Mounting







Light Sniper Adjustable Square

08.8240.00B

Flush ceilling square frame accessory

08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.

08.8250.00

Concrete instalation can.

Light Sniper Adjustable Square designed by FLOS Architectural


High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.


03.4687.06A - I53lm	Chrome
03.4687.GLA - 153lm	Gold
03.4687.14A - 153lm	Matt black



08.8222.30A

Ceiling protector accessory. Square





CERTIFICATIONS




















Flos.architectural@flos.com www.flos.com



Light Sniper Adjustable Square . Lamps




Phosphor LED
Lamp category:
LED

Lamp type: Phosphor LED

Light Sniper Adjustable Square designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4687.06A - 153lm Chrome
03.4687.GLA - 153lm Gold
03.4687.14A - 153lm Matt black



CERTIFICATIONS







GWT 850°









