

LIGHT SNIPER FIXED ROUND

Number of heads

Mounting Ceiling recessed

Lamps descriptionPower LED 11W 1060 lm 3000K CRI 90Luminaire luminous fluxExtreme Cut-off. See reference number

Voltage (V) 220/240
Environment Indoor

OPTICAL

Light controller descriptionBare lampsAimingFixedLight distribution symmetrySymmetricBeam angle15° Spot

ELECTRICAL

Transformer availability Included
Transformer mounting Remote
Transformer type Electronic
Emergency Without
Insulation class Class II

PHYSICAL


Cutout diameter (mm) 90
Diameter (mm) 100
Recessed depth (mm) 165
Construction material Aluminium
Weight (kg) 0,49





Light Sniper Fixed Round designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.





CERTIFICATIONS













Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Round . Accessories

Optical





08.8041.68

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.

08.8412.14

Honeycomb

"Honeycomb" anti-glare grid made of aluminium cells.



Light Sniper Fixed Round designed by FLOS Architectural


High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4980.06A - 455lm Chrome
03.4980.GLA - 455lm Gold
03.4980.14A - 455lm Matt black

Mounting









08.8239.00B

Flush ceilling round frame accessory

08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.

08.8250.00

Concrete instalation can.

CERTIFICATIONS









□ IP 44

Flos.architectural@flos.com www.flos.com



Light Sniper Fixed Round . Accessories



08.8229.30A

Ceiling protector accessory. Round

Light Sniper Fixed Round. Lamps



Power LED

Lamp category:

LED

Socket:

Special base

Lamp type:

Power LED




Light Sniper Fixed Round designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4980.06A - 455lm Chrome
03.4980.GLA - 455lm Gold
03.4980.14A - 455lm Matt black





CERTIFICATIONS













Flos.architectural@flos.com www.flos.com