

LIGHT SNIPER WALL-WASHER ROUND DALI VERSION

Number of heads

Mounting Ceiling recessed

Lamps descriptionPower LED 11W 910 Im 2700K CRI 90Luminaire luminous fluxExtreme Cut-off. See reference number

Voltage (V) 220/240
Environment Indoor

OPTICAL

Light controller descriptionBare lampsAimingFixedLight distribution symmetryAsymmetricBeam angle35°

ELECTRICAL

Transformer availability Included
Transformer mounting Remote

Transformer type Electronic dimmable dali

Emergency Without Insulation class Class II

PHYSICAL

Cutout diameter (mm)90Diameter (mm)100Recessed depth (mm)145Construction materialAluminiumWeight (kg)0,49







Light Sniper Wall-Washer Round Dali Version

designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.





CERTIFICATIONS











Flos.architectural@flos.com www.flos.com



Light Sniper Wall-Washer Round Dali Version . Accessories

Optical





08.8041.68

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.

08.8412.14

Honeycomb

"Honeycomb" anti-glare grid made of aluminium cells.



Light Sniper Wall-Washer Round Dali Version

designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.



03.4989.06.DA - 322lm


Chrome

Mounting









Ø100

08.8239.00B

Flush ceilling round frame accessory

08.8243.00

08.8243.00.5U

08.8243.00.1U

Ceiling protector accessory.

08.8250.00

Concrete instalation can.

CERTIFICATIONS









ΙP 44

Flos.architectural@flos.com www.flos.com



Light Sniper Wall-Washer Round Dali Version . Accessories



08.8229.30A

Ceiling protector accessory. Round

Light Sniper Wall-Washer Round Dali Version . Lamps



Power LED

Lamp category:

LED

Socket:

Special base

Lamp type:

Power LED




Light Sniper Wall-Washer Round Dali Version


designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.



03.4989.06.DA - 322lm Chrome





CERTIFICATIONS









