FLOS

LIGHT SNIPER WALL-WASHER SQUARE DALI VERSION

L

Bare lamps

Asymmetric

Fixed

34°

Number of heads Mounting Lamps description Luminaire luminous flux Voltage (V) Environment

Ceiling recessed Power LED 11W 1060 Im 3000K CRI 90 Extreme Cut-off. See reference number 220/240 Indoor

OPTICAL

Light controller description Aiming Light distribution symmetry Beam angle

ELECTRICAL

- Transformer availability Transformer mounting Transformer type Emergency Insulation class
- Included Remote Electronic dimmable dali Without Class II

PHYSICAL

Cutout diameter (mm) Recessed depth (mm) Construction material Weight (kg)








Light Sniper Wall-Washer Square Dali Version designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4990.06.ADA - 394lm Chrome



CERTIFICATIONS

44



FLOS

Light Sniper Wall-Washer Square Dali Version . Accessories

Optical





08.8041.68

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.



Honeycomb

"Honeycomb" anti-glare grid made of aluminium cells.



Light Sniper Wall-Washer Square Dali Version designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4990.06.ADA - 394lm Chrome



FLOS

Light Sniper Wall-Washer Square Dali Version . Accessories



08.8222.30A


Ceiling protector accessory. Square




Light Sniper Wall-Washer Square Dali Version designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

03.4990.06.ADA - 394lm Chrome





Light Sniper Wall-Washer Square Dali Version . Lamps



Power LED LED Socket: Special base Lamp type: Power LED