

LIGHT SNIPER FIXED SQUARE DALI VERSION

Number of heads	1
Mounting	Ceiling recessed
Lamps description	Power LED 11W 910 lm 2700K CRI 90
Luminaire luminous flux	Extreme Cut-off. See reference number
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Light controller description	Bare lamps
Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	26° Medium

ELECTRICAL

Transformer availability	Included
Transformer mounting	Remote
Transformer type	Electronic dimmable dali
Emergency	Without
Insulation class	Class II

PHYSICAL




Cutout diameter (mm)	90
Recessed depth (mm)	165
Construction material	Aluminium
Weight (kg)	0,49





Light Sniper Fixed Square Dali Version



designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

-  03.4995.06.DA - 537lm Chrome
-  03.4995.GL.DA - 537lm Gold
-  03.4995.14.DA - 537lm Matt black



CERTIFICATIONS



Light Sniper Fixed Square Dali Version . Accessories

Optical



08.8041.68

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.



● 08.8412.14

Honeycomb

"Honeycomb" anti-glare grid made of aluminium cells.




Light Sniper Fixed Square Dali Version

designed by FLOS Architectural

High-performance embedded light fixture for LED light source. Remote 220-240V power supply included.

- 03.4995.06.DA - 537lm Chrome
- 03.4995.GL.DA - 537lm Gold
- 03.4995.14.DA - 537lm Matt black

Mounting



○ 08.8240.00B

Flush ceiling square frame accessory




08.8243.00

08.8243.00.5U


08.8243.00.1U

Ceiling protector accessory.





08.8250.00

Concrete installation can.



CERTIFICATIONS



Light Sniper Fixed Square Dali Version . Accessories



○ 08.8222.30A

**Ceiling protector
accessory. Square**



**Light Sniper Fixed Square Dali
Version**

designed by FLOS Architectural

High-performance embedded light
fixture for LED light source. Remote
220-240V power supply included.

- 03.4995.06.DA - 537lm Chrome
- 03.4995.GL.DA - 537lm Gold
- 03.4995.14.DA - 537lm Matt black

Light Sniper Fixed Square Dali Version . Lamps





Power LED

Lamp category:
LED

Socket:
Special base

Lamp type:
Power LED



CERTIFICATIONS

