FLOS

ANTHONY SPOT TRACK DALI VERSION

Number of heads

Mounting Track mounting

Lamps description Power LED 16W 1310 lm 2700K CRI 90

Luminaire luminous flux See reference number

Voltage (V) 24 Environment Indoor

Notes To obtain flood optics (35°) order Anthony Spot

Medium + flood lens.

OPTICAL

Reflector finish Aluminum
Aiming Adjustable
Light distribution symmetry Symmetric
Beam angle 15° Spot

ELECTRICAL

Transformer availability Separate item
Transformer mounting Remote

Transformer type Electronic dimmable dali

EmergencyWithoutInsulation classClass III

PHYSICAL

Width (mm) 130
Spot diameter (mm) 110
Construction material Aluminium
Weight (kg) 0,36






Anthony Spot Track Dali Version designed by Antonio Citterio

Accent lighting LED module to be installed in The Running Magnet 2.0 System. Built-in DC/DC electronic voltage converter.

03.6277.40ADA - 1010lm White 03.6277.14ADA - 1010lm Black



CERTIFICATIONS
























Anthony Spot Track Dali Version . Accessories

Optical









08.0050.00

Flood lens

08.8418.68A

Elliptical lens

08.8419.14A

Honeycomb

Anthony Spot Track Dali Version designed by Antonio Citterio

Accent lighting LED module to be installed in The Running Magnet 2.0 System. Built-in DC/DC electronic voltage converter.

03.6277.40ADA - 1010lm White
03.6277.14ADA - 1010lm Black

Anthony Spot Track Dali Version . Lamps



Power LED

Lamp category:


LED

Socket:

Special base

Lamp type:

Power LED



CERTIFICATIONS






















Flos.architectural@flos.com

W W W.IIO3.COIII