

SUSPENSION STRUCTURE 100 MM

| | |
|--------------------------------|------------------------------------|
| Number of heads | I |
| Mounting | Track mounting |
| Lamps description | LED Array 40W 2600 lm 3000K CRI 90 |
| Luminaire luminous flux | See reference number |
| Voltage (V) | 48 |
| Environment | Indoor |

OPTICAL

| | |
|------------------------------------|-----------|
| Aiming | Fixed |
| Light distribution symmetry | Symmetric |

ELECTRICAL


| | |
|---------------------------------|---------------------|
| Transformer availability | Separate item |
| Transformer mounting | Remote |
| Transformer type | Electronic dimmable |
| Emergency | Without |
| Insulation class | Class III |





Suspension Structure 100 mm
designed by Vincent Van Duysen

<div>Suspended luminaire with rigid rod, to be installed in the Infra-Structure system.</div>

| | | |
|---|---------------------|---------------|
|  | 03.6486.14 - 1572lm | Black / Gold |
|  | 03.6486.40 - 1618lm | White / White |



CERTIFICATIONS



Suspension Structure 100 mm . Lamps



Top LED

Lamp category:
LED

Socket:
Special base


Lamp type:
Top LED



Suspension Structure 100 mm
designed by Vincent Van Duysen

<div>Suspended luminaire with rigid rod, to be installed in the Infra-Structure system.</div>

- 03.6486.14 - 1572lm Black / Gold
- 03.6486.40 - 1618lm White / White



CERTIFICATIONS

