

#### **SPOT 120 ON BOARD DIMMER**

Number of heads

**Mounting** Track mounting

Lamps description LED Array 12,5W 1138 lm 3000K CRI 90

Luminaire luminous flux See reference number

Voltage (V) 48
Environment Indoor

**Notes** Accessories included (honeycomb and screening crosspiece).



#### **OPTICAL**

Aiming Adjustable
Light distribution symmetry Symmetric
Beam angle 40° Flood

#### **ELECTRICAL**

Transformer availability Separate item
Transformer mounting Remote

Transformer type Electronic dimmable

Emergency Without Insulation class Class III


# **Spot 120 On Board Dimmer** designed by FLOS Architectural


<div>Accent lighting LED module to
be installed in The Tracking Magnet/
Infra-Structure System./div>

03.8157.40 - 629lm White
03.8157.05 - 629lm Chrome
03.8157.14 - 629lm Black

## **PHYSICAL**

Spot diameter (mm)46Construction materialAluminiumWeight (kg)0,30





## **CERTIFICATIONS**

















IP 20

Flos.architectural@flos.com www.flos.com



## Spot 120 On Board Dimmer . Lamps



**LED Array** 

Lamp category:

LED

Socket:

Special base

Lamp type:


LED Array



**Spot 120 On Board Dimmer** designed by FLOS Architectural

<div>Accent lighting LED module to be installed in The Tracking Magnet/ Infra-Structure System.</div>

03.8157.40 - 629lm White
03.8157.05 - 629lm Chrome
03.8157.14 - 629lm Black



## **CERTIFICATIONS**











IP 20







Flos.architectural@flos.com www.flos.com