

## BATTERY TRIM SMALL IL

<b>Number of heads</b>	1
<b>Mounting</b>	Ceiling recessed
<b>Lamps description</b>	QR-CBC 5I GX5.3 Max 50W or LED QR-CBC 5I GX5.3 7/10W
<b>Voltage (V)</b>	12
<b>Environment</b>	Indoor
<b>Notes</b>	Additional inner plastic (PPS) ring for lamp approaching & low glare effect.

### OPTICAL

<b>Light controller description</b>	Bare lamps
<b>Aiming</b>	Adjustable
<b>Light distribution symmetry</b>	Symmetric
<b>Beam angle</b>	10°, 24°, 25°, 36°, 38°, 60°

### ELECTRICAL

<b>Transformer availability</b>	Separate item
<b>Transformer mounting</b>	Remote
<b>Transformer type</b>	Electronic, Electronic dimmable
<b>Emergency</b>	Without
<b>Insulation class</b>	Class III

### PHYSICAL


<b>Recessed depth (mm)</b>	130
<b>Construction material</b>	Aluminium
<b>Weight (kg)</b>	0,76





**Battery Trim Small IL**  
designed by F.A. Porsche

12V halogen lamp recessed downlight.  
Remote transformer not included

● 04.6021.20	Matt white
● 04.6021.08	Mercury
● 04.6021.14	Matt black



### CERTIFICATIONS



## Battery Trim Small IL . Lamps



60.6392  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 10 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6392  
**Lamp type:**  
 QR-CBC 51



60.6359  
**QR-CBC 51**  
**Lamp Watt:**  
 50 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 24 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6359  
**Lamp type:**  
 QR-CBC 51



60.6360  
**QR-CBC 51**  
**Lamp Watt:**  
 50 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6360  
**Lamp type:**  
 QR-CBC 51




60.6361  
**QR-CBC 51**  
**Lamp Watt:**  
 50 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 60 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6361  
**Lamp type:**  
 QR-CBC 51



60.6393  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 24 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6393  
**Lamp type:**  
 QR-CBC 51




60.6394  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6394  
**Lamp type:**  
 QR-CBC 51





**Battery Trim Small IL**  
 designed by F.A. Porsche

12V halogen lamp recessed downlight.  
 Remote transformer not included

- 04.6021.20 Matt white
- 04.6021.08 Mercury
- 04.6021.14 Matt black



### CERTIFICATIONS



## Battery Trim Small IL . Lamps



60.6395  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 60 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6395  
**Lamp type:**  
 QR-CBC 51



60.6355  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 24 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6355  
**Lamp type:**  
 QR-CBC 51



60.6356  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6356  
**Lamp type:**  
 QR-CBC 51




60.6357  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 60 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6357  
**Lamp type:**  
 QR-CBC 51



BU19  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 BU19  
**Lamp type:**  
 QR-CBC 51




BU20  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 BU20  
**Lamp type:**  
 QR-CBC 51





**Battery Trim Small IL**  
 designed by F.A. Porsche

12V halogen lamp recessed downlight.  
 Remote transformer not included

- 04.6021.20 Matt white
- 04.6021.08 Mercury
- 04.6021.14 Matt black



### CERTIFICATIONS



## Battery Trim Small IL . Lamps



BU2I

**QR-CBC 51**

**Lamp Watt:**  
50 W

**Lamp category:**  
Halogen low voltage

**Socket:**  
GX5.3

**Lamp angle:**  
60 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
BU2I

**Lamp type:**  
QR-CBC 51



60.689I

**LED QR-CBC 51**

**Lamp Watt:**  
8 W

**Lamp category:**  
LED

**Socket:**  
GX5.3

**Lamp angle:**  
24 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
60.689I


**Lamp type:**  
LED QR-CBC 51



**Battery Trim Small IL**  
designed by F.A. Porsche

12V halogen lamp recessed downlight.  
Remote transformer not included

- 04.6021.20 Matt white
- 04.6021.08 Mercury
- 04.6021.14 Matt black



### CERTIFICATIONS

