

## BATTERY NO TRIM SMALL 3L

<b>Number of heads</b>	3
<b>Mounting</b>	Ceiling recessed
<b>Lamps description</b>	3 x QR-CBC 51 GX5.3 Max 50W or 3 x LED QR-CBC 51 GX5.3 7/10W
<b>Voltage (V)</b>	12
<b>Environment</b>	Indoor
<b>Notes</b>	Pre-installation frame must be ordered separately. Additional inner plastic (PPS) ring for lamp approaching & low glare effect.



**Battery No Trim Small 3L**  
designed by F.A. Porsche

12V halogen lamp recessed downlight.  
Remote transformer not included

● 04.6023.20.NT	Matt white
● 04.6023.08.NT	Mercury
● 04.6023.14.NT	Matt black

### OPTICAL


<b>Light controller description</b>	Bare lamps
<b>Aiming</b>	Adjustable
<b>Light distribution symmetry</b>	Symmetric
<b>Beam angle</b>	10°, 24°, 25°, 36°, 38°, 60°

### ELECTRICAL

<b>Transformer availability</b>	Separate item
<b>Transformer mounting</b>	Remote
<b>Transformer type</b>	Electronic, Electronic dimmable
<b>Emergency</b>	Without
<b>Insulation class</b>	Class III




### PHYSICAL

<b>Recessed depth (mm)</b>	132
<b>Construction material</b>	Aluminium
<b>Weight (kg)</b>	2,77



\* Accessible ceiling: modular/open  
\*\* Inaccessible ceiling

### CERTIFICATIONS



## Battery No Trim Small 3L . Accessories

### Mounting



08.8082.00

#### Pre-installation frame


Pre-installation frame small  
3 lights



**Battery No Trim Small 3L**  
designed by F.A. Porsche

12V halogen lamp recessed downlight.  
Remote transformer not included

- 04.6023.20.NT Matt white
- 04.6023.08.NT Mercury
- 04.6023.14.NT Matt black



\* Accessible ceiling: modular/open  
\*\* Inaccessible ceiling

## Battery No Trim Small 3L . Lamps



60.6392

#### QR-CBC 5I

Lamp Watt:  
20 W

Lamp category:  
Halogen low voltage

Socket:  
GX5.3

Lamp angle:  
10 °

Color temperature (K):  
3000 °K

Catalog reference:  
60.6392

Lamp type:  
QR-CBC 5I



60.6359

#### QR-CBC 5I

Lamp Watt:  
50 W

Lamp category:  
Halogen low voltage

Socket:  
GX5.3

Lamp angle:  
24 °

Color temperature (K):  
3000 °K

Catalog reference:  
60.6359

Lamp type:  
QR-CBC 5I



60.6360

#### QR-CBC 5I

Lamp Watt:  
50 W

Lamp category:  
Halogen low voltage

Socket:  
GX5.3



Lamp angle:  
38 °

Color temperature (K):  
3000 °K

Catalog reference:  
60.6360

Lamp type:  
QR-CBC 5I

### CERTIFICATIONS



## Battery No Trim Small 3L . Lamps



60.6361  
**QR-CBC 51**  
**Lamp Watt:**  
 50 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 60 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6361  
**Lamp type:**  
 QR-CBC 51



60.6393  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 24 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6393  
**Lamp type:**  
 QR-CBC 51



60.6394  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6394  
**Lamp type:**  
 QR-CBC 51



60.6395  
**QR-CBC 51**  
**Lamp Watt:**  
 20 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 60 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6395  
**Lamp type:**  
 QR-CBC 51



60.6355  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 24 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6355  
**Lamp type:**  
 QR-CBC 51




60.6356  
**QR-CBC 51**  
**Lamp Watt:**  
 35 W  
**Lamp category:**  
 Halogen low voltage  
**Socket:**  
 GX5.3  
**Lamp angle:**  
 38 °  
**Color temperature (K):**  
 3000 °K  
**Catalog reference:**  
 60.6356  
**Lamp type:**  
 QR-CBC 51



**Battery No Trim Small 3L**  
 designed by F.A. Porsche



12V halogen lamp recessed downlight.  
 Remote transformer not included

- 04.6023.20.NT Matt white
- 04.6023.08.NT Mercury
- 04.6023.14.NT Matt black



\* Accessible ceiling: modular/open  
 \*\* Inaccessible ceiling

### CERTIFICATIONS



## Battery No Trim Small 3L . Lamps



60.6357

**QR-CBC 51**

**Lamp Watt:**  
35 W

**Lamp category:**  
Halogen low voltage

**Socket:**  
GX5.3

**Lamp angle:**  
60 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
60.6357

**Lamp type:**  
QR-CBC 51



BU19

**QR-CBC 51**

**Lamp Watt:**  
20 W

**Lamp category:**  
Halogen low voltage

**Socket:**  
GX5.3

**Lamp angle:**  
38 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
BU19

**Lamp type:**  
QR-CBC 51



BU20

**QR-CBC 51**

**Lamp Watt:**  
35 W

**Lamp category:**  
Halogen low voltage

**Socket:**  
GX5.3

**Lamp angle:**  
38 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
BU20

**Lamp type:**  
QR-CBC 51



BU21

**QR-CBC 51**

**Lamp Watt:**  
50 W

**Lamp category:**  
Halogen low voltage

**Socket:**  
GX5.3

**Lamp angle:**  
60 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
BU21

**Lamp type:**  
QR-CBC 51



60.6891

**LED QR-CBC 51**

**Lamp Watt:**  
8 W

**Lamp category:**  
LED

**Socket:**  
GX5.3

**Lamp angle:**  
24 °

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
60.6891


**Lamp type:**  
LED QR-CBC 51



**Battery No Trim Small 3L**  
designed by F.A. Porsche

12V halogen lamp recessed downlight.  
Remote transformer not included

- 04.6023.20.NT Matt white
- 04.6023.08.NT Mercury
- 04.6023.14.NT Matt black



\* Accessible ceiling: modular/open  
\*\* Inaccessible ceiling

### CERTIFICATIONS

