

BATTERY TRIM LARGE IL

Number of heads

Mounting Ceiling recessed

Lamps description CDM-TC G8.5 Max 70W

Voltage (V) 220/240 Environment Indoor

OPTICAL

Light controller descriptionProtection glassReflector finishAluminumAimingAdjustableLight distribution symmetrySymmetricBeam angle36° Flood

ELECTRICAL

Control gear availability Separate item

Control gear type Conventional, Electronic


Control gear mountingRemoteEmergencyWithoutInsulation classClass I

PHYSICAL

Recessed depth (mm) 222

Construction material Aluminium

Weight (kg) 1,77








Battery Trim Large IL designed by F.A. Porsche

Metal halide lamp recessed downlight. Remote control gear not included

04.6124.20 Matt white 04.6124.08 Mercury 04.6124.14 Matt black



168

CERTIFICATIONS



















Battery Trim Large IL. Accessories

Optical









08.8025.20 08.8025.08

08.8029.08

Honeycomb

08.8029.20

08.8030.20 Metal halide lamp

08.8025.14

08.8029.14

Metal halide lamp recessed downlight. Remote control gear not included

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.

Anti-glare grid made of aluminium cells.

Screening cylinder

08.8030.08

08.8030.14


Screening cylinder with rotating pin in a black thermoplastic material

04.6124.20 Matt white 04.6124.08 Mercury 04.6124.14 Matt black









168

08.8027.20.AO 08.8027.08.AO 08.8027.20.AC 08.8027.08.AC

08.8027.14.AC

08.8027.20.AM 08.8027.08.AM

08.8027.14.AM

08.8027.14.AO

Amber filter

Blue filter

Blue filter

Sky blue filter

Sky blue filter

Amber mee

Amber filter




















Battery Trim Large IL. Accessories





Battery Trim Large IL. Accessories



08.8027.20.ND

08.8027.08.ND

08.8027.14.ND

Neodimium

Neodimium



Battery Trim Large IL designed by F.A. Porsche

Metal halide lamp recessed downlight. Remote control gear not included

04.6124.20 Matt white 04.6124.08 Mercury 04.6124.14 Matt black

Battery Trim Large IL . Lamps



60.6483 6 CDM-TC 6

Lamp Watt: 35 ₩

Lamp category: Metal halide Socket:

Color temperature (K):

3000 °K

G8.5

Catalog reference:

60.6483

Lamp type: CDM-TC



60.6484 **CDM-TC**

Lamp Watt:

70 W

Lamp category: Metal halide Socket: G8.5

Color temperature (K):

3000 °K

Catalog reference:

60.6484 **Lamp type:**CDM-TC



60.6127

CDM-TC Lamp Watt: 20 W

Lamp category: Metal halide Socket:


Color temperature (K):

3000 °K

G8.5

Catalog reference:

60.6127 **Lamp type:**CDM-TC



CERTIFICATIONS















