

# FLOS

## BOX

Number of heads	1
Mounting	Wall recessed
Lamps description	TC-DEL G24q 18W
Voltage (V)	220/240
Environment	Indoor, Outdoor

## OPTICAL

Light controller description	Diffusor glass
Aiming	Fixed
Beam angle	65°

## ELECTRICAL

Control gear availability	Included
Control gear type	Electronic
Control gear mounting	Integral
Emergency	Without
Insulation class	Class II

## PHYSICAL


Width (mm)	236
Height (mm)	256
Recessed depth (mm)	52
Construction material	Die-cast aluminum
Weight (kg)	1,50




**Box**  
designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Electronic control gear integrated.

- 07.9000.01.E3 - 1200lm Matt white
- 07.9000.72.E3 - 1200lm Grey
- 07.9000.04.E3 - 1200lm Matt black
- 07.9000.MM.E3 - 1200lm Metallic brown




## CERTIFICATIONS



## Box . Accessories

### Mounting



80.1318

#### High density polystyrene (225x55x244mm)

High density polystyrene matched die for installation on cement



08.8256.00

#### Flush wall Installation

Accessory for flush wall installation for BOX.



### Box designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Electronic control gear integrated.

- 07.9000.01.E3 - 1200lm Matt white
- 07.9000.72.E3 - 1200lm Grey
- 07.9000.04.E3 - 1200lm Matt black
- 07.9000.MM.E3 - 1200lm Metallic brown


### Electrical




08.8012.00

#### Junction box

IP67 junction box: to be used for the power connection



### CERTIFICATIONS



## Box . Lamps



60.6213

**TC-DEL**

**Lamp Watt:**  
18 W

**Lamp category:**  
Compact fluorescent

**Socket:**  
G24q-2

**Color temperature (K):**  
2700 °K

**Catalog reference:**  
60.6213

**Lamp type:**  
TC-DEL



60.6256

**TC-DEL**

**Lamp Watt:**  
18 W

**Lamp category:**  
Compact fluorescent

**Socket:**  
G24q-2

**Color temperature (K):**  
3000 °K

**Catalog reference:**  
60.6256

**Lamp type:**  
TC-DEL



60.6257

**TC-DEL**

**Lamp Watt:**  
18 W

**Lamp category:**  
Compact fluorescent

**Socket:**  
G24q-2

**Color temperature (K):**  
4000 °K

**Catalog reference:**  
60.6257

**Lamp type:**  
TC-DEL




### Box

designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Electronic control gear integrated.

- 07.9000.01.E3 - 1200lm Matt white
- 07.9000.72.E3 - 1200lm Grey
- 07.9000.04.E3 - 1200lm Matt black
- 07.9000.MM.E3 - 1200lm Metallic brown



### CERTIFICATIONS

