

MINI BOX

Number of heads	1
Mounting	Wall recessed
Lamps description	QT-9 G4 20W
Voltage (V)	220/240
Environment	Indoor, Outdoor

OPTICAL


Light controller description	Diffusor glass
Aiming	Fixed
Beam angle	46°

ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Magnetic
Emergency	Without
Insulation class	Class II

PHYSICAL


Width (mm)	100
Height (mm)	100
Recessed depth (mm)	85
Construction material	Die-cast aluminum
Weight (kg)	0,65




Mini Box
designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Conventional transformer integrated.

● 07.9004.01 - 320lm	Matt white
● 07.9004.72 - 320lm	Grey
● 07.9004.04 - 320lm	Matt black
● 07.9004.MM - 320lm	Metallic brown



CERTIFICATIONS



Mini Box . Accessories

Mounting



80.1332

High density polystyrene (87x85x87mm)

High density polystyrene matched die for installation on cement



08.8246.00

Flush wall Installation

Accessory for flush wall installation for MINI BOX.



Mini Box

designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Conventional transformer integrated.

	07.9004.01 - 320lm	Matt white
	07.9004.72 - 320lm	Grey
	07.9004.04 - 320lm	Matt black
	07.9004.MM - 320lm	Metallic brown


Electrical




08.8012.00

Junction box

IP67 junction box: to be used for the power connection



CERTIFICATIONS



Mini Box . Lamps



60.6302

QT-9

Lamp Watt:

20 W

Lamp category:

Halogen low voltage

Socket:

G4

Color temperature (K):

3000 °K

Catalog reference:

60.6302

Lamp type:

QT-9




Mini Box

designed by Piero Lissoni

Recessed guide light for indoor and outdoor applications. Conventional transformer integrated.

07.9004.01 - 320lm	Matt white
07.9004.72 - 320lm	Grey
07.9004.04 - 320lm	Matt black
07.9004.MM - 320lm	Metallic brown



CERTIFICATIONS

