

## BOX

<b>Number of heads</b>	1
<b>Mounting</b>	Wall recessed
<b>Lamps description</b>	Power LED 5W 500 lm 3000K CRI 80
<b>Luminaire luminous flux</b>	See reference number
<b>Voltage (V)</b>	220/240
<b>Environment</b>	Indoor, Outdoor

## OPTICAL

<b>Light controller description</b>	Diffuser glass
<b>Aiming</b>	Fixed
<b>Beam angle</b>	55°

## ELECTRICAL

<b>Transformer availability</b>	Included
<b>Transformer mounting</b>	Integral
<b>Transformer type</b>	Electronic
<b>Emergency</b>	Without
<b>Insulation class</b>	Class II

## PHYSICAL


<b>Width (mm)</b>	236
<b>Height (mm)</b>	256
<b>Recessed depth (mm)</b>	52
<b>Construction material</b>	Die-cast aluminum
<b>Weight (kg)</b>	1,65




**Box**  
designed by Piero Lissoni

Semi-embedded signalling lamp for indoor or outdoor use. 220-240V, 50-60Hz non-regulable power supply included.

● 07.9007.01B - 263lm	Matt white
● 07.9007.72B - 263lm	Grey
● 07.9007.04B - 263lm	Matt black
● 07.9007.MMB - 263lm	Metallic brown




## CERTIFICATIONS



## Box . Accessories

### Mounting



80.1318

#### High density polystyrene (225x55x244mm)

High density polystyrene matched die for installation on cement



08.8256.00

#### Flush wall Installation

Accessory for flush wall installation for BOX.



### Box designed by Piero Lissoni

Semi-embedded signalling lamp for indoor or outdoor use. 220-240V, 50-60Hz non-regulable power supply included.

- 07.9007.01B - 263lm Matt white
- 07.9007.72B - 263lm Grey
- 07.9007.04B - 263lm Matt black
- 07.9007.MMB - 263lm Metallic brown


### Electrical




08.8012.00

#### Junction box

IP67 junction box: to be used for the power connection



### CERTIFICATIONS



## Box . Lamps



### Power LED

**Lamp category:**  
LED

**Socket:**  
Special base


**Lamp type:**  
Power LED



### Box designed by Piero Lissoni

Semi-embedded signalling lamp for indoor or outdoor use. 220-240V, 50-60Hz non-regulable power supply included.

- 07.9007.01B - 263lm Matt white
- 07.9007.72B - 263lm Grey
- 07.9007.04B - 263lm Matt black
- 07.9007.MMB - 263lm Metallic brown



### CERTIFICATIONS

