

SPOT MODULE QR-CBC 51

Number of heads	1
Mounting	Track mounting
Lamps description	QR-CBC 51 GX5.3 Max 50W or LED QR-CBC 51 GX5.3 7/10W
Voltage (V)	12
Environment	Indoor



OPTICAL

Aiming	Adjustable
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Transformer type	Electronic
Emergency	Without
Insulation class	Class III



Spot Module QR-CBC 51 designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.



● 09.0203.30	White
● 09.0203.14	Black

PHYSICAL

Spot diameter (mm)	57
Construction material	Aluminium
Weight (kg)	0,27



CERTIFICATIONS



Spot Module QR-CBC 51 . Accessories

Optical



● 08.8182.14

Honeycomb

"Honeycomb" anti-glare grid made of aluminium cells.



● 08.8380.30

● 08.8380.14

Screening cylinder



● 08.8363.30

● 08.8363.14

Filter-holder


Filter-holder made from injected aluminium.



Spot Module QR-CBC 51 designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.


● 09.0203.30 White
● 09.0203.14 Black



● 08.8230.64.OD

Blue Filter


Colored filters in 3 mm dichroic material



● 08.8230.65.OD

Sky Blue Filter


Colored filters in 3 mm dichroic material





● 08.8230.66.OD

Amber Filter


Colored filters in 3 mm dichroic material



CERTIFICATIONS



Spot Module QR-CBC 51 . Accessories



08.8230.67.OD

Red Filter

Colored filters in 3 mm dichroic material



08.8230.98.OD

U.V. Filter

Colored filters in 3 mm dichroic material



08.8230.69

Hot Light


Colored filters in 3 mm dichroic material



Spot Module QR-CBC 51 designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.


09.0203.30 White
09.0203.14 Black



08.8230.CL

Cold Light

Colored filters in 3 mm dichroic material



08.8230.DL

Daylight


Colored filters in 3 mm dichroic material





08.8230.ND

Neodimium

Colored filters in 3 mm dichroic material



CERTIFICATIONS



Spot Module QR-CBC 51 . Lamps



60.6392
QR-CBC 51
Lamp Watt:
 20 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 10 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6392
Lamp type:
 QR-CBC 51



60.6359
QR-CBC 51
Lamp Watt:
 50 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 24 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6359
Lamp type:
 QR-CBC 51



60.6360
QR-CBC 51
Lamp Watt:
 50 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 38 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6360
Lamp type:
 QR-CBC 51




60.6361
QR-CBC 51
Lamp Watt:
 50 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 60 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6361
Lamp type:
 QR-CBC 51



60.6393
QR-CBC 51
Lamp Watt:
 20 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 24 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6393
Lamp type:
 QR-CBC 51




60.6394
QR-CBC 51
Lamp Watt:
 20 W
Lamp category:
 Halogen low voltage
Socket:
 GX5.3
Lamp angle:
 38 °
Color temperature (K):
 3000 °K
Catalog reference:
 60.6394
Lamp type:
 QR-CBC 51





Spot Module QR-CBC 51
 designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.

- 09.0203.30 White
- 09.0203.14 Black



CERTIFICATIONS



Spot Module QR-CBC 51 . Lamps



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



60.6355

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6355

Lamp type:
QR-CBC 51



60.6356

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6356

Lamp type:
QR-CBC 51



60.6357

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6357

Lamp type:
QR-CBC 51



BU19

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU19

Lamp type:
QR-CBC 51



BU20

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU20


Lamp type:
QR-CBC 51





Spot Module QR-CBC 51
designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.

● 09.0203.30 White
● 09.0203.14 Black



CERTIFICATIONS



Spot Module QR-CBC 51 . Lamps



BU2I

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
BU2I

Lamp type:
QR-CBC 51



60.6891

LED QR-CBC 51

Lamp Watt:
8 W

Lamp category:
LED

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6891


Lamp type:
LED QR-CBC 51



Spot Module QR-CBC 51 designed by FLOS Architectural

Projector to be installed in Light Cut Mini system. Electronic transformer remote not included.

- 09.0203.30 White
- 09.0203.14 Black



CERTIFICATIONS

