

PURE I DOWNLIGHT

Number of heads	1
Mounting	Ceiling recessed
Lamps description	QR-CBC 51 GX5.3 Max 50W or LED QR-CBC 51 GX5.3 7/10W
Voltage (V)	12
Environment	Indoor
Notes	To be completed with installation frame. Available as accessory element. Must be ordered separately.



Pure I Downlight
designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

● 09.1600.30	White
● 09.1600.02	Grey
● 09.1600.14	Black

OPTICAL


Light controller description	Bare lamps
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	10°, 24°, 25°, 36°, 38°, 60°

ELECTRICAL


Transformer availability	Separate item
Transformer mounting	Remote
Emergency	Without
Insulation class	Class III

PHYSICAL

Spot diameter (mm)	86
Construction material	Aluminium
Weight (kg)	0,96



CERTIFICATIONS



Pure I Downlight . Accessories

Optical



08.8166.14

Holding ring



08.8163.68

Elliptical lens

Elliptical light distribution lens in 4 mm thick tempered glass.



08.8169.14

Honeycomb


"Honeycomb" anti-glare screen: in thin, blackpainted aluminium sheets.



Pure I Downlight
designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included


- 09.1600.30 White
- 09.1600.02 Grey
- 09.1600.14 Black



08.8160.64.OD

Blue filter


Blue filter



08.8160.65.OD

Sky blue filter



Sky blue filter



08.8160.66.OD

Amber filter

Amber filter



08.8160.67.OD

Red filter

Red filter



08.8160.98.OD

U.V. filter

U.V. filter




08.8160.68

I.R. filter

I.R. filter

CERTIFICATIONS




Pure I Downlight . Accessories



08.8160.69

Hot Light


Hot Light



08.8160.CL

Cold light filter

Cold light filter



08.8160.DL

Daylight filter

Daylight filter



Pure I Downlight designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

- 09.1600.30 White
- 09.1600.02 Grey
- 09.1600.14 Black



08.8160.ND

Neodimium



○ 08.8175.68

Flood lens

Flood lens made in press glass.




● 08.8232.30

● 08.8232.02

● 08.8232.14

Pure I Pro external ring accessory

Pure I Pro external ring accessory.
Only for halogen and halide lamps,
consult for LED version



CERTIFICATIONS



Pure I Downlight . Accessories


Mounting



08.8152.00

Installation Frame For No Trim

Installation frame for Pure I Downlight No Trim.



HOW TO ORDER



● 08.8149.30

● 08.8149.02

● 08.8149.14

Installation Frame For Trim

Installation frame for Pure I Downlight Trim.



Pure I Downlight designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

● 09.1600.30 White

● 09.1600.02 Grey

● 09.1600.14 Black

Pure I Downlight . Lamps



60.6392

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
10 °

Color temperature (K):
3000 °K

Catalog reference:
60.6392

Lamp type:
QR-CBC 51



60.6359

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6359

Lamp type:
QR-CBC 51



60.6360

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage


Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6360

Lamp type:
QR-CBC 51



CERTIFICATIONS



Pure I Downlight . Lamps



60.6361

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6361

Lamp type:
QR-CBC 51



60.6393

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6393

Lamp type:
QR-CBC 51



60.6394

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6394

Lamp type:
QR-CBC 51



60.6395

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6395

Lamp type:
QR-CBC 51



60.6355

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6355

Lamp type:
QR-CBC 51



60.6356

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
60.6356


Lamp type:
QR-CBC 51



Pure I Downlight
designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

- 09.1600.30 White
- 09.1600.02 Grey
- 09.1600.14 Black



CERTIFICATIONS



Pure I Downlight . Lamps



60.6357

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
60.6357

Lamp type:
QR-CBC 51



BU19

QR-CBC 51

Lamp Watt:
20 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU19

Lamp type:
QR-CBC 51



BU20

QR-CBC 51

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
38 °

Color temperature (K):
3000 °K

Catalog reference:
BU20

Lamp type:
QR-CBC 51



BU21

QR-CBC 51

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GX5.3

Lamp angle:
60 °

Color temperature (K):
3000 °K

Catalog reference:
BU21

Lamp type:
QR-CBC 51



60.6891

LED QR-CBC 51

Lamp Watt:
8 W

Lamp category:
LED

Socket:
GX5.3

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6891

Lamp type:
LED QR-CBC 51



60.6992

LED QR-CBC 51

Lamp Watt:
6,5 W

Lamp category:
LED

Socket:
GX5.3

Lamp angle:
36 °

Color temperature (K):
3000 °K

Catalog reference:
60.6992


Lamp type:
LED QR-CBC 51



Pure I Downlight
designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

- 09.1600.30 White
- 09.1600.02 Grey
- 09.1600.14 Black



CERTIFICATIONS



Pure I Downlight . Lamps



60.6990

LED QR-CBC 5 I

Lamp Watt:

6,5 W

Lamp category:

LED

Socket:

GX5.3

Lamp angle:

24 °

Color temperature (K):

3000 °K

Catalog reference:

60.6990

Lamp type:

LED QR-CBC 5 I




Pure I Downlight

designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

- | | |
|--------------|-------|
| ● 09.1600.30 | White |
| ● 09.1600.02 | Grey |
| ● 09.1600.14 | Black |



CERTIFICATIONS

