

PURE 2 DOWNLIGHT

Number of heads	1
Mounting	Ceiling recessed
Lamps description	QT-I2 GY6.35 Max 100W
Voltage (V)	12
Environment	Indoor
Notes	To be completed with installation frame. Available as accessory element. Must be ordered separately.

OPTICAL

Light controller description	Protection glass
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	41° Wide Flood

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Emergency	Without
Insulation class	Class III

PHYSICAL


Cutout diameter (mm)	165
Spot diameter (mm)	113
Construction material	Aluminium
Weight (kg)	1,43



Pure 2 Downlight
designed by Knud Holscher


12V halogen lamp recessed downlight.
Remote transformer not included

09.1715.30	White
09.1715.02	Grey
09.1715.14	Black



CERTIFICATIONS

CE	03	F	GWT 850°
60°	360°	III	IP 20



Pure 2 Downlight . Accessories

Optical



08.8167.14

Holding ring


Holding ring



08.8170.14

Honeycomb


"Honeycomb" anti-glare screen: in thin, blackpainted aluminium sheets.



08.8161.64.OD

Blue filter


Blue filter



08.8161.65.OD

Sky blue filter


Sky blue filter



08.8161.66.OD

Amber filter

Amber filter



08.8161.67.OD

Red filter

Red filter



08.8161.98.OD

U.V. filter


U.V. filter



08.8161.68

I.R. filter

I.R. filter



08.8161.CL

Cold light filter


Cold light filter





Pure 2 Downlight designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included


09.1715.30	White
09.1715.02	Grey
09.1715.14	Black



CERTIFICATIONS




Pure 2 Downlight . Accessories



08.8161.DL

Daylight filter

Daylight filter



08.8161.ND

Neodium

Neodium



08.8164.68

Elliptical light distribution lens

Elliptical light distribution lens in 4mm thick tempered glass.



Pure 2 Downlight designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

- 09.1715.30 White
- 09.1715.02 Grey
- 09.1715.14 Black



08.8161.69

Hot Light

Hot Light



08.8176.68

Flood lens

Flood lens made in press glass.




● 08.8233.30

● 08.8233.02


● 08.8233.14

Pure 2 Pro external ring accessory

Pure 2 Pro external ring accessory.



CERTIFICATIONS




● 08.8234.30

● 08.8234.02

● 08.8234.14

Pure Downlight 2 Wall-Washer external ring accessory

Pure Downlight 2 Wall-Washer external ring accessory.



Pure 2 Downlight . Accessories


Mounting



08.8153.00

Installation Frame for No Trim

Installation frame for Pure 2 Downlight No Trim.



HOW TO ORDER



08.8150.30

08.8150.02

08.8150.14

Installation Frame for Trim

Installation frame for Pure 2 Downlight Trim.



Pure 2 Downlight designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

09.1715.30	White
09.1715.02	Grey
09.1715.14	Black

Pure 2 Downlight . Lamps



60.6300

QT-I2

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
GY6.35

Color temperature (K):
3000 °K

Catalog reference:
60.6300

Lamp type:
QT-I2



60.6303

QT-I2

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
GY6.35

Color temperature (K):
3000 °K

Catalog reference:
60.6303

Lamp type:
QT-I2



60.6304

QT-I2

Lamp Watt:
75 W


Lamp category:
Halogen low voltage

Socket:
GY6.35



Color temperature (K):
3000 °K

Catalog reference:
60.6304

Lamp type:
QT-I2



CERTIFICATIONS



Pure 2 Downlight . Lamps



60.6305

QT-I2

Lamp Watt:

90 W

Lamp category:

Halogen low voltage

Socket:

GY6.35

Color temperature (K):

3000 °K

Catalog reference:

60.6305

Lamp type:

QT-I2



60.6306

QT-I2

Lamp Watt:

100 W

Lamp category:

Halogen low voltage

Socket:

GY6.35

Color temperature (K):

3000 °K

Catalog reference:

60.6306

Lamp type:

QT-I2




Pure 2 Downlight

designed by Knud Holscher

12V halogen lamp recessed downlight.
Remote transformer not included

● 09.1715.30	White
● 09.1715.02	Grey
● 09.1715.14	Black



CERTIFICATIONS

